

Literature Cited and Selected Bibliography

- Able, K.W. 1999. Measures of juvenile fish habitat quality: examples from a National Estuarine Research Reserve. Pages 134-147 *in* L.R. Benaka, editor. Fish habitat: essential fish habitat and rehabilitation. American Fisheries Society Symposium 22. Bethesda, Maryland.
- Able, K.W., and J.T. Duffy-Anderson. 1999. Effects of municipal piers on the growth of juvenile fishes in the Hudson River estuary: A study across a pier edge. *Marine Biology* 133:409-418.
- Able, K.W., and M.P. Fahay. 1998. The first year in the life of estuarine fishes in the Middle Atlantic Bight. Rutgers University Press. New Brunswick, NJ. 342 p.
- Able, K.W., J.P. Manderson, and A.L. Studholme. 1999. Habitat quality for shallow water fishes in an urban estuary: the effects of man-made structures on growth. *Marine Ecology Progress Series* 187:227-235.
- Abdelrhman, M.A. 2002. Modeling how a hurricane barrier in New Bedford Harbor, Massachusetts, affects the hydrodynamics and residence times. *Estuaries* 25(2):177-196.
- Aitken, A.H. 1998. Brayton Point Station, Somerset, Massachusetts Permit Renewal Application NPDES Permit Number MAD055179634. WBRO-98-1.
- Alden Research Laboratories (Worcester Polytechnical Institute). 1971. Model study, Brayton Point Station, Somerset, Massachusetts for New England Power Co. Appendix E. Page 254-274 *in* Proceedings of the Conference

in the Matter of Pollution of the Interstate Waters of Mt. Hope Bay and its Tributaries in the States of Massachusetts and Rhode Island. U.S., EPA, Region 1, Boston.

- Allen, D.M., and D.L. Barker. 1990. Interannual variations in larval fish recruitment to estuarine epibenthic habitats. *Marine Ecology Progress Series* 63:113-125.
- Almeida, F.P. 1989. Allocation of statewide-reported MRFSS catch and landings statistics between areas: application to winter flounder. NOAA Technical Memorandum NMFS-F/NEC 71 1989.
- Amato, R.J. 1979. Coastal community land use review: Portsmouth, Rhode Island. Rhode Island Statewide Planning Program Technical Paper 82A. 26 pp.
- Ambrose, R.B., T. Wool, and J.L. Martin. 1993. The water quality analysis simulation program, WASP5. Part A: model documentation. Environmental Research Laboratory, Athens, Georgia.
- Andrews, J.E. 1997. Water column stratification and mixing events in Narragansett Bay during winter and spring. MS Thesis, University of Rhode Island, Kingston, Rhode Island.
- Armstrong, M.P. 1997. Seasonal and ontogenetic changes in distribution and abundance of smooth flounder, *Pleuronectes putnami*, and winter flounder, *Pleuronectes americanus*, along estuarine depth and salinity gradient. *Fishery Bulletin* 95:414-430.

- ASA (Applied Science Associates, Inc.). 1996a. Data Report: New England Power Company Brayton Point Station dissolved oxygen assessment field studies. Applied Sciences Associates, Inc. Project 96-076.
- ASA (Applied Science Associates, Inc.). 1996b. Data Report: New England Power Company Brayton Point Station dissolved oxygen assessment field studies. Supplementary Appendix: protocol for the Mount Hope Bay field surveys. Applied Sciences Associates, Inc. Project 96-076.
- ASA (Applied Science Associates, Inc.). 1997a. Field activities for the winter 1997 Mount Hope Bay over flight. 431:1-3.
- ASA (Applied Science Associates, Inc.). 1997b. Mt. Hope Bay model validation protocol. Applied Science Associates, Inc.
- ASA (Applied Science Associates, Inc.). 2001a. Control volume-based analysis of temperature impacts on dissolved oxygen in Mt. Hope Bay. Applied Sciences Associates, Inc.
- ASA (Applied Science Associates, Inc.). 2001b. Supplemental hydrothermal and biothermal evaluations. (Prepared in Response to the Section 308 Information Request Issued by the U.S. Environmental Protection Agency under the Clean Water Act on August 10, 2001).
- ASCE Task Committee on Turbulence Models in Hydraulic Computations. 1988. Turbulence modeling of surface flow and transport. *Journal of Hydraulic Engineering*, ASCE 114(9):970-1073.

- Asselin, S. 1991. Flushing times in the Providence River based on tracer experiments. MS Thesis, University of Rhode Island, Kingston, Rhode Island.
- Baltz, D.M., C. Rakocinski, and J.W. Fleeger. 1993. Microhabitat use by marsh-edge fishes in a Louisiana estuary. *Environmental Biology of Fishes* 36:109-126.
- Barker, D.E., R.A. Khan, and R. Hooper. 1994. Bioindicators of stress in winter flounder, *Pleuronectes americanus*, captured adjacent to a pulp and paper mill in St. George's Bay, Newfoundland. *Canadian Journal of Fisheries and Aquatic Sciences* 51:2203-2209.
- Barry, K.J., and N.R. Wainwright. 1996. Surface-dwelling bacteria on the eggs of *Crangon septemspinosa* restrict infection by the fungus *Lagenidium myophilum* *in vitro*. *Biological Bulletin* 191(2):317-318.
- Beach, R., and R. Hittinger. 1989. Trace metals in quahog clams from Narragansett Bay. Current report of the Narragansett Bay Project. Thibault/Bubly Associates, Providence, Rhode Island. Report #NBP-90-26. 26 pp.
- Beauchamp, C.H. 1978. A two-dimensional vertically averaged numerical model of tidal dynamics in the southern New England intracoastal system. MS Thesis, University of Rhode Island, Kingston, Rhode Island.
- Bejda, A.J., and B.A. Phelan. 1998. Can scales be used to sex winter flounder, *Pleuronectes americanus*. *Fishery Bulletin* 96(3):621-624.

- Bejda, A.J., B.A. Phelan, and A.L. Studholme. 1992. The effect of dissolved oxygen on the growth of young-of-the-year winter flounder, *Pseudopleuronectes americanus*. *Environmental Biology of Fishes* 34:321-327.
- Berghahn, R., A.M. Bullock, and M. Karakiri. 1993. Effects of solar radiation on the population dynamics of juvenile flatfish in the shallows of the Wadden Sea. *Journal of Fish Biology* 42:329-345.
- Berounsky, V.M., and S.W. Nixon. 1985. The Role of nitrification in contributing to low oxygen conditions in the Providence River Estuary (RI). *Estuaries* 8(2b):102A.
- Berounsky, V.M., and S.W. Nixon. 1990. Temperature and the annual cycle of nitrification in waters of Narragansett Bay. *Limnology and Oceanography* 35(7):1610-1617.
- Berounsky, V.M., and S.W. Nixon. 1993. Rates of nitrification along an estuarine gradient in Narragansett Bay. *Estuaries* 16(4):718-730.
- Bertness, M.D. 1984. Habitat and community modification by an introduced herbivorous snail. *Ecology* 65(2):370-381.
- Bertness, M.D. 1989. Intraspecific competition and facilitation in a northern acorn barnacle population. *Ecology* 70(1):257-268.
- Bertness, M.D., S.D. Gaines, D. Bermudez, and E. Sanford. 1991. Extreme spatial variation in the growth and reproductive output of the acorn barnacle *Semibalanus balanoides*. *Marine Ecology Progress Series* 75:91-100.

- Bertness, M.D., S.D. Gaines, E.G. Stephens, and P.O. Yund. 1992. Components of recruitment in populations of the acorn barnacle *Semibalanus balanoides* (Linnaeus). *Journal of Experimental Marine Biology and Ecology* 156:199-215.
- Bertness, M.D., P.O. Yund, and A.F. Brown. 1983. Snail grazing and the abundance of algal crusts on a sheltered New England rocky beach. *Journal of Experimental Marine Biology and Ecology* 71(2):147-164.
- Bertram, D.F., and W.C. Leggett. 1994. Predation risk during the early life history periods of fishes: separating the effects of size and age. *Marine Ecology Progress Series* 109(2-3): 105-114.
- Bertram D.F., T.J. Miller, and W.C. Leggett. 1996. Individual variation in growth and development during the early life stages of winter flounder, *Pleuronectes americanus*. *Fishery Bulletin* 95(1):1-10.
- Bigelow, H.R., and W.C. Schroeder. 1953. Fishes of the Gulf of Maine. U.S. Fisheries Wildlife Service Fishery Bulletin 74 (53). 577 pp.
- Black, D.E., D.K. Phelps, and R.L Lapan. 1988. The effect of inherited contamination on egg and larval winter flounder, *Pseudopleuronectes americanus*. *Marine Environmental Research* 25:45-62.
- Blackwell, B.F., W.B., Krohn, and R.B. Allen. 1995. Foods and nestling of double-crested cormorants in Penobscot Bay, Maine, USA: temporal and spatial comparisons. *Colonial Waterbirds* 18(2):199-208.
- Blake, N.J., and H.P. Jeffries. 1971. The structure of an experimental infaunal community. *Journal of Experimental Marine Biology and Ecology* 6:1-14.

- Blumberg, A.F., and G.L. Mellor. 1987. A description of a three-dimensional coastal ocean model. *In* N.S. Heaps, editor. Three-dimensional coastal ocean models. American Geophysical Union, Washington, DC.
- Boreman, J., S.J. Correia, and D.B. Witherell. 1993. Effects of changes in age-0 survival and fishing mortality on egg production of winter flounder in Cape Cod. *American Fishery Society Symposium* 14:39-45.
- Borowsky, R., and B. Borowsky. 1990. Feeding inhibition of the salt marsh amphipod *Gammarus palustris* Bousfield, 1969 by heat-labile substances in *Ulva lactuca* L. *Crustaceana*. 59(3):299-301.
- Bosley, K.L., and S.C. Wainright. 1999. Effects of preservatives and acidification on the stable isotope ratios (^{15}N : ^{14}N , ^{13}C : ^{12}C) of two species of marine animals. *Canadian Journal of Fisheries and Aquatic Sciences* 56(11):2181-2185.
- Boucher, J.M. 1991. Nutrients and phosphorus geochemistry in the Taunton River estuary, Massachusetts. Ph.D. Thesis, University of Rhode Island. 316 pp.
- Bourne, D.W., and J.J. Govoni. 1988. Distribution of fish eggs and larvae and patterns of water circulation in Narragansett Bay, 1972-1973. *American Fishery Society Symposium* 3:132-148.
- Bowen, W.D., and G.D. Harrison. 1996. Comparison of harbor seal diets in two inshore habitats of Atlantic Canada. *Canadian Journal of Zoology* 74:125-135.

- Bricker, S.B. 1993. The history of Cu, Pb, and Zn inputs to Narragansett Bay, Rhode Island as record by salt marsh sediments. *Estuaries* 16(3B):589-607.
- Bricker-Urso, S., S.W. Nixon, J.K. Cochran, D.J. Hirschberg, and C. Hunt. 1989. Accretion rates and sediment accumulation in Rhode Island salt marshes. *Estuaries* 12(4):300-317.
- Briggs, P.T. 1984. Fish investigation in the vicinity of a sewer outfall under construction off the south shore of Long Island, New York. *New York Fish and Game Journal* 31(1):45-54.
- Buckley, L.J., and E.M. Caldarone. 1988. Recent growth and biochemical composition of juvenile, young-of-year winter flounder from different areas of Narragansett Bay. Final Report to the Narragansett Bay Project, # NBP-89-14. 40 pp.
- Buckley, L.J., A.S. Smigielski, T.A. Halavik, E.M. Caldarone, B.R. Burns, and G.C. Laurence. 1991a. Winter flounder *Pseudopleuronectes americanus* reproductive success. I. Among-location variability in size and survival of larvae reared in the laboratory. *Marine Ecology Progress Series* 74:117-124.
- Buckley, L.J., A.S. Smigielski, T.A. Halavik, E.M. Caldarone, B.R. Burns, and G.C. Laurence. 1991b. Winter flounder *Pseudopleuronectes americanus* reproductive success. II. Effects of spawning time and female size on size, composition and viability of eggs and larvae. *Marine Ecology Progress Series* 74:125-135.

- Buckley, L.J., A.S. Smigielski, T.A. Halavik, and G.C. Laurence. 1990. Effects of water temperature on size and biochemical composition of winter flounder *Pseudopleuronectes americanus* at hatching and feeding initiation. *Fishery Bulletin U.S.* 88(3):419-428.
- Burkholder, J.M. 1998. Implications of harmful microalgae and heterotrophic dinoflagellates in management of sustainable marine fisheries. *Ecological Applications* 8(1):supplement:37-62.
- Burney, C.M., K.M. Johnson, and J.McN. Sieburth. 1981. Diel flux of dissolved carbohydrate in a salt marsh and a simulated estuarine ecosystem. *Marine Biology* 63: 175-187.
- Burroughs, R. et al. (URI Dept. Marine Affairs). 2000. Narragansett Bay ecosystem management: goals, trends and issues. White-paper presented at Narragansett Bay Summit, April 2000.
<http://www.nbep.org/summit/wpapers.html>.
- Burrows, M.T., R.N. Gibson, L. Robb, and C.A. Comely. 1994. Temporal patterns of movement in juvenile flatfishes and their predators: underwater television observations. *Journal of Experimental Marine Biology and Ecology* 177:251-268.
- Burton, D. 1978. Melanophore distribution within the integumentary tissues of two teleost species, *Pseudopleuronectes americanus* and *Gasterosteus aculeatus* form *leiurus*. *Canadian Journal of Zoology* 56:526-535.
- Burton, D. 1987. Differential effects of diurnal and continuous illumination regimes on melanophores and xanthophores of winter flounder,

- Pseudopleuronectes americanus*. Canadian Journal of Zoology 65:1140-1143.
- Burton, D., M.P.M. Burton, and D.R. Idler. 1984. Epidermal condition in post-spawned winter flounder, *Pseudopleuronectes americanus* (Walbaum), maintained in the laboratory and after exposure to crude petroleum. Journal of Fish Biology 25:593-606.
- Burton, M.P.M. 1991. Induction and reversal of the non-reproductive state in winter flounder, *Pseudopleuronectes americanus* Walbaum, by manipulating food availability. Journal of Fish Biology 39:909-910.
- Burton M.P.M., and D.R. Idler. 1987. An experimental investigation of the non-reproductive, post-mature state in winter flounder. Journal of Fish Biology 30:643-650.
- Cadrin, S.X., A.B. Howe, S.J. Correia, and T.P. Currier. 1995. Evaluating the effects of two coastal mobile gear fishing closures on finfish abundance off Cape Cod. North American Journal of Fisheries Management 15:300-315.
- Campbell, R. 1957. An inventory of the quahog population of the Providence River and Mount Hope Bay. Department of Agriculture and Conservation, Division of Fish and Game. 18 pp.
- Carney, M.A. 1997. Surface temperatures in Narragansett Bay: seasonal dynamics and anthropogenic effects. Sc. B. Thesis. Center for Environmental Studies, Brown University.

- Carr, R.S., R.E. Hillman, and J.M. Neff. 1991. Field assessment of biomarkers for winter flounder. *Marine Pollution Bulletin* 22(2):61-67.
- Casas, M.C. 1998. Increment formation in otoliths of slow-growing winter flounder (*Pleuronectes americanus*) larvae in cold water. *Canadian Journal of Fisheries and Aquatic Sciences* 55:162-169.
- Casey, J.M., and R.A. Myers. 1998. Diel variation in trawl catchability: is it as clear as day and night? *Canadian Journal of Fisheries and Aquatic Sciences* 55:2329-2340.
- Casterlin, M.E., and W.W. Reynolds. 1982. Thermoregulatory behaviour and diel activity of yearling winter flounder, *Pseudopleuronectes americanus* (Walbaum). *Environmental Biology of Fishes* 7(2):177-180.
- Chambers, R.C., and W.C. Leggett. 1987. Size and age at metamorphosis in marine fishes: an analysis of laboratory-reared winter flounder (*Pseudopleuronectes americanus*) with a review of variation in other species. *Canadian Journal of Fisheries and Aquatic Sciences* 44:1936-1947.
- Chambers, R.C., and W.C. Leggett. 1989. Event analysis applied to timing in marine fish ontogeny. *Canadian Journal of Fisheries and Aquatic Sciences* 46:1633-1641.
- Chambers, R.C., and W.C. Leggett. 1992. Possible causes and consequences of variation in age and size at metamorphosis in flatfishes (Pleuronectiformes): an analysis at the individual, population, and species levels. *Netherlands, Journal of Sea Research* 29(1-3):7-24.

- Chant, R.J., M.C. Curran, K.W. Able, and S.M. Glenn. 2000. Delivery of winter flounder (*Pseudopleuronectes americanus*) larvae to settlement habitats in coves near tidal inlets. *Estuarine, Coastal and Shelf Science* 51:529-541.
- Check, R.M., and M.T. Canario, Jr. 1972. Residues of chlorinated hydrocarbon pesticides in the northern quahog (hard-shell clam), *Mercenaria mercenaria*-1968 and 1969. *Pesticides Monitoring Journal* 6(3):229-230.
- Chinman, R.A., and S.W. Nixon. 1985. Depth-area-volume relationships in Narragansett Bay. NOAA/Sea Grant Marine Technical Report 87. Graduate School of Oceanography, University of Rhode Island. 64 pp.
- Cohn, R.F. 1979. Sea floor acoustic signature analysis. MS Thesis, Dept. Ocean Engineering, University of Rhode Island. 50 pp.
- Collie, J.S., and A.K. DeLong. 2001. Examining the decline of Narragansett Bay winter flounder. Progress Report to RIDEM Division of Fish and Wildlife.
- Collins, B.P., and R.L. McMaster. 1979. Correlation of marine and land magnetic surveys with known tectonic features and bedrock types in the Narragansett Bay area, Rhode Island. Pages 67-78 in Barosh, P.J., Coordinator. New England Seismotectonic Study Activities During Fiscal Year 1978. NUREG/CR-0939. U.S. Nuclear Regulatory Commission, Washington, D.C.
- Colton, Jr., J.B., W.G. Smith, A.W. Kendall, Jr., P.L. Berrien, and M.P. Fahay. 1979. Principal spawning areas and times of marine fishes, Cape Sable to Cape Hatteras. *Fishery Bulletin* 76(4):911-915.

- Conover, D.O., and M.R. Ross. 1982. Patterns in seasonal abundance, growth and biomass of the Atlantic silverside, *Menidia menidia*, in a New England Estuary. *Estuaries* 5(4):275-286.
- Cook, T., M. Folli, J. Klinck, S. Ford, and J. Miller. 1998. The relationship between increasing sea-surface temperature and the northward spread of *Perkinsus marinus* (Dermo) disease epizootics in Oysters. *Estuaries Coastal Shelf Science* 46:587-597.
- Corey, S. 1981. The life history of *Crangon septemspinosa* Say (Decapoda, Caridea) in the shallow sublittoral area of Passamaquoddy Bay, New Brunswick, Canada. *Crustaceana* 41(1):21-28.
- Corey, S. 1987. Reproductive strategies and comparative fecundity of *Crangon septemspinosa* Say (Decapoda, Caridea). *Crustaceana* 52(1):25-28.
- Cosper, E.M., V.M. Bricelj, and E.J. Carpenter, editors. 1989. Novel phytoplankton blooms. Causes and impacts of recurrent brown tides and other unusual blooms. *Coastal and Estuarine Studies* 35. Springer-Verlag, Berlin.
- Coutant, C.C., M.S. Bevelhimer, and W.V. Winkle. 1988. Brayton Point Station Section 316(a) and 316(b) Review, Interagency Agreement Numbers EPA No. DW89940159-01-0 and DOA No. 2245-M123-A1.
- Cowan, J.H., and E.D. Houde. 1990. Growth and survival of bay anchovy *Anchoa mitchelli larvaie* in mesocosms enclosures. *Marine Ecology Progress Series* 68:47-57.

- Crag, J.K., and L.B. Crowder. 2000. Factors influencing habitat selection in fishes with a review of marsh ecosystems. Pages 241-266 in Weinstein, M.P., and D.A. Kreeger, editors. Concepts and Controversies in Tidal Marsh Ecology. Kluwer Academic Publishers, Boston.
- Crawford, R.E., and C.G. Carey. 1985. Retention of winter flounder larvae within a Rhode Island salt pond. *Estuaries* 8:217-227.
- Crowley, D.J. 1962. The benthic fauna and sediment relationships of eastern Narragansett Bay, Rhode Island. Thesis, Brown University, Department of Geology, Providence, Rhode Island. 65 pp.
- Curley, J.R., R.P. Lawton, D.L. Chadwick, K. Reback, and J.M. Hickey. 1974. A study of the marine resources of the Taunton River and Mt. Hope Bay. Monographs of Massachusetts Department of Natural Resources, Division of Marine Fisheries 15:1-37.
- Curley, J.R., R.P. Lawton, J.D. Fiske, and J.M. Hickey. 1972. A study of the marine resources of the Waquoit Bay- Eel Pond estuary. Monographs of Massachusetts Department of Natural Resources, Division of Marine Fisheries 9:1-40.
- Curran, M.C., and K.W. Able. 2002. Annual stability in the use of coves near inlets as settlement areas for winter flounder (*Pseudopleuronectes americanus*). *Estuaries* 25(2): 227-234.
- Cyrus, D.P., and S.J.M. Blaber. 1992. Turbidity and salinity in a tropical northern Australian estuary and their influence on fish distribution. *Estuarine, Coastal and Shelf Science* 35:545-563.

- Dave, A. 1998. The applications of thermal remote sensing to effluent monitoring: The Mount Hope Bay case study. Sc. B. Thesis. Center for Environmental Studies, Brown University.
- Davis, R.W., J.A. Matousek, M.J. Skelly, and M.R. Anderson. 1988. Biological evaluation of Brayton Point Station Unit 4 angled screen intake. (Lawler, Matusky & Skelly Engineers, Pearl River, NY). Pages 3-42 *in* Proceedings: Fish Protection at Steam and Hydroelectric Power Plants. Electric Power Research Institute Report CS/EA/AP-5663-SR. Electric Power Research Institute, Palo Alto, CA.
- DeAlteris, J., L. Skrobe, and C. Lipsky. 1999. The significance of seabed disturbance by mobile fishing gear relative to natural processes: A case study in Narragansett Bay, Rhode Island. American Fisheries Society Symposium 22:224-237.
- DeAlteris, J.T., M. Gibson, L.G. Skrobe. 2000. Fisheries of Rhode Island. White paper presented at Narragansett Bay Summit, April 2000. <http://www.nbep.org/summit/wpapers.html>.
- Deason, E.E. 1980. Grazing of *Acartia hudsonica* (*A. clausi*) on *Skeletonema costatum* in Narragansett Bay (USA): influence of food concentration and temperature. Marine Biology 60:101-113.
- Deason, E.E. 1982. *Mnemiopsis leidyi* (Ctenophora) in Narragansett Bay, 1975-79: abundance, size composition and estimation of grazing. Estuaries, Coastal and Shelf Science 15:121-134.

- Deason, E.E., and T. J. Smayda. 1982. Ctenophore-zooplankton-phytoplankton interactions in Narragansett Bay, Rhode Island, USA, during 1972-1977. *Journal of Plankton Research* 4:203-217.
- DeBaptista, A.E., E.E. Adams, and K.D. Stoltzenbach. 1984. Eulerian-Lagrangian analysis of pollutant transport in shallow water. Rep. Mass. Inst. Technol. Energy Lab. Publication MIT/EL-84/008. 143 pp.
(ABSTRACT)
- Deegan, L.A., J.E. Hughes, and R.A. Rountree. 2000. Salt marsh support of marine transient species. Pages 333-365 *in* Weinstein, M.P., and D.A. Kreeger, editors. *Concepts and controversies in tidal marsh ecology*. Kluwer Academic Publishers, Boston.
- Deegan, L.A., A. Wright, S.G. Ayvazian, J.T. Finn, H. Golden, R.R. Merson, and J. Harrison. 2001. Nitrogen loading alters seagrass ecosystem structure and support of higher trophic levels. *Aquatic Conservation-Marine and Freshwater* 0:1-20.
- DeLong, A.K., J.S. Collie, C.J. Meise, and J.C. Powell. 2001. Estimating growth and mortality of juvenile winter flounder, *Pseudopleuronectes americanus*, with a length-based model. *Canadian Journal of Fisheries and Aquatic Sciences* 58(11):2233-2246.
- Demuren, A.O., and W. Rodi. 1983. Side discharges into open channels: mathematical model. *Journal of Hydraulic Engineering* 109(12):1707-1722.

- Desbonnet, A., and V. Lee. 1991. Historical trends: Water quality and fisheries in Narragansett Bay. University of Rhode Island Coastal Resource Center Contribution #100. 101 pp.
- DeVries, M.C., R.B. Forward, Jr., and W.F. Hettler. 1995. Behavioral response of larval Atlantic menhaden *Brevoortia tyrannus* (Latrobe) and spot *Leiostomus xanthurus* (Lacepede) to rates of salinity change. *Journal of Experimental Marine Biology and Ecology* 185:93-108.
- Dixon, A.M., C.A. Karp, and C.A. Penniman. 1991. Mount Hope Bay "briefing paper" and proceedings from Narragansett Bay Project Management Committee. (Narragansett Bay Project). Current Report of the Narragansett Bay Project. Report #NBP-91-65. 49 pp.
- Doering, P.H. 1986. Experiments offer hope of controlling eutrophication. *Maritimes* 30(1):12-13.
- Doering, P.H., C.A. Oviatt, and M.E.Q. Pilson. 1990. Control of nutrient concentrations in the Seekonk-Providence River region of Narragansett Bay, Rhode Island. *Estuaries* 13(4):418-430.
- Doering, P.H., and M.E.Q. Pilson. 1988. SPRAY cruise dissolved oxygen and chlorophyll. Current Report of the Narragansett Bay Project. Report #NBP-89-24. 95 pp.
- DNC (Dominion Nuclear Connecticut, Inc.). 2000. Annual Report 2000. Monitoring the marine environment of Long Island Sound at Millstone Power Station Waterford, Connecticut. April 2001.

- DNC. 2001. Annual Report 2001. Monitoring the marine environment of Long Island Sound at Millstone Power Station Waterford, Connecticut. April 2002.
- Dorf, B.A., and J.C. Powell. 1997. Distribution, abundance, and habitat characteristics of juvenile tautog (*Tautoga onitis*, family labridae) in Narragansett Bay, RI, 1988-1992. *Estuaries* 20(3):589-600.
- Duffy-Anderson, J.T., and K.W. Able. 1999. Effects of municipal piers on the growth of juvenile fishes in the Hudson River estuary: a study across a pier edge. *Marine Biology* 133:409-418.
- Duffy-Anderson, J.T., and K.W. Able. 2001. An assessment of the feeding success of young-of-the-year winter flounder (*Pseudopleuronectes americanus*) near a municipal pier in the Hudson River Estuary, U.S.A. *Estuaries* 24:430-440.
- Duman, J.G., and A.L. DeVries. 1974. Freezing resistance in winter flounder *Pseudopleuronectes americanus*. *Nature* 247:237-238.
- Durbin, A.G., and E.G. Durbin. 1981. Standing stock and estimated production rates of phytoplankton and zooplankton in Narragansett Bay, Rhode Island. *Estuaries* 4:24-41.
- Durbin, A.G., and E.G. Durbin. 1989. Secondary production by zooplankton in Narragansett Bay. *Maritimes* 33(4):8-11.
- Durbin, A.G., and E.G. Durbin. 1990. Zooplankton and ichthyoplankton in Narragansett Bay: Status and trends. Part 2: Ichthyoplankton. Current Report, The Narragansett Bay Project, U.S. Environmental Protection

Agency/Rhode Island Department of Environmental Management. 17 pp.,
+ Tables and Figures in Appendices.

- Durbin, A.G., and E.G. Durbin. 1992. Seasonal changes in size frequency distribution and estimated age in the marine copepod *Acartia hudsonica* during a winter-spring diatom bloom in Narragansett Bay. *Limnology and Oceanography* 37:379-392.
- Durbin, A.G., and E.G. Durbin. 1998. Effects of menhaden predation on plankton populations in Narragansett Bay, Rhode Island. *Estuaries* 21(3):449-465.
- Durbin, E.G., and A.G. Durbin. 1978. Length and weight relationships of *Acartia clausi* from Narragansett Bay, Rhode Island. *Limnology and Oceanography* 23:958-969.
- Durbin, E.G., and A.G. Durbin. 1989. Secondary production by zooplankton in Narragansett Bay. *Maritimes* 33(4):8-11.
- Durbin, E.G., and A.G. Durbin. 1992. Effects of temperature and food abundance on grazing and short-term weight change in the marine copepod *Acartia hudsonica*. *Limnology and Oceanography* 37:361-378.
- Durbin, E.G., A.G. Durbin, and R.G. Campbell. 1992. Body size and egg production in the marine copepod *Acartia hudsonica* during a winter-spring diatom bloom in Narragansett Bay. *Limnology and Oceanography* 37:342-360.

- Durbin, E.G., A.G. Durbin, T. J. Smayda, and P. G. Verity. 1983. Food limitation of production by adult *Acartia tonsa* in Narragansett Bay, Rhode Island. *Limnology and Oceanography* 28:1199-1213.
- Durbin, E.G., R.W. Krawiec, and T. J. Smayda. 1975. Seasonal studies on the relative importance of different size fractions of phytoplankton in Narragansett Bay (USA). *Marine Biology* 32:271-287.
- Eckert, C. 1958. The equation of state of water and sea water at low temperature and pressures. *American Journal of Science* 256(April): 225-240.
- Edgerton, H.E., and H. Payson. 1964. Sediment penetration with a short-pulse sonar. *Journal of Sedimentary Petrology* 34:876-880.
- Elderfield, H., R.J. McCaffrey, N. Luedtke, M. Bender, and V.W. Truesdale. 1981. Chemical diagenesis in Narragansett Bay sediments. *American Journal of Science* 281(8):1021-1055.
- Emerson, D.J., and V.J. Cabelli. 1985. Use of bacteria, *Clostridium perfringens*, in marine sediments as a monitor of sewage particulate deposition and movement. Pages 89-111 in Ketchum, B.H., et al., eds. *Wastes in the Ocean, Vol. 6: Nearshore Waste Disposal*. Wiley, NY.
- Epifanio, C.E., and R.W. Garvine. 2001. Larval transport on the Atlantic continental shelf of North America: a review. *Estuarine Coastal and Shelf Science* 52:51-77.
- Erwin, R.M. 1979. Coastal waterbird colonies: Cape Elizabeth, Maine to Virginia. (Mass. Coop. Wildlife Res. Unit, University of Massachusetts,

- Amherst, U.S. FWS). Office of Biological Services, Coastal Ecosystems Project. 212 pp.
- Erwin, R.M., and C.E. Korschgen. 1977. Coastal waterbird colonies: Cape Elizabeth, Maine to Virginia, 1977, An atlas showing locations and species composition. (Mass. Coop. Wildlife Res. Unit, University of Massachusetts, Amherst, U.S. FWS). Office of Biological Services, Coastal Ecosystems Project. 750 pp. FWS/OBS 79/08.
- Farmer, F.H., G.A. Vargo, C.A. Brown, Jr., and O. Jarrett, Jr. 1982. Spatial distributions of major phytoplankton community components in Narragansett Bay at the peak of the winter-spring bloom. *Journal of Marine Research* 40(3): 593-614.
- Fisher, J.J. 1978. Environmental and structural implications of Rhode Island seismic events, 1965-1976. *Geology* 6: 251-255.
- Fletcher, G.L., C.M. Campbell, and C.L. Hew. 1978. The effects of hypophysectomy on seasonal changes in plasma freezing-point depression, protein 'antifreeze,' and Na⁺ and Cl⁻ concentrations of winter flounder (*Pseudopleuronectes americanus*). *Canadian Journal of Zoology* 56:109-113.
- Fletcher, G.L., and M.J. King. 1978. Seasonal dynamics of Cu²⁺, Zn²⁺, Ca²⁺, and Mg²⁺ in gonads and liver of winter flounder (*Pseudopleuronectes americanus*): evidence for summer storage of Zn²⁺ for winter gonad development in females. *Canadian Journal of Zoology* 56:284-290.

- Fletcher, G.L., and J.C. Smith. 1980. Evidence for permanent population differences in the annual cycle of plasma “antifreeze” levels of winter flounder. *Canadian Journal of Zoology* 58:507-512.
- Ford, S.E. 1996. Range extension by the oyster parasite *Perkinsus marinus* into the northeastern United States: Response to climate change? *Journal of Shellfish Research* 15:45-56.
- Forward, R.B., Jr., M.C. DeVries, D. Rittschof, D.A.Z. Frankel, J.P. Bischoff, C.M. Fisher, and J.M. Welch. 1996. Effects of environmental cues on metamorphosis of the blue crab *Callinectes sapidus*. *Marine Ecology Progress Series* 131:165-177.
- Fox, M.F., D.R. Kester, J.E. Andrews, A. Magnuson, and C.G. Zoski. 2000. Seasonal warming of Narragansett Bay and Rhode Island Sound in 1997: Advances very high resolution radiometer sea surface temperature and *in situ* measurements. *Journal of Geophysical Research* 105(C9):22071-22082.
- Frame, D.W. 1973. Biology of young winter flounder *Pseudopleuronectes americanus* (Walbaum): metabolism under simulated estuarine conditions. *Transactions of the American Fisheries Society* 102 (2):423-433.
- Frame, D.W. 1974. Feeding habits of young winter flounder (*Pseudopleuronectes americanus*): prey availability and diversity. *Transactions of the American Fisheries Society* 2:261-269.
- Frank, K.T., and W.C. Leggett. 1984. Selective exploitation of capelin (*Mallotus villosus*) eggs by winter flounder (*Pseudopleuronectes americanus*):

- capelin egg mortality rates, and contribution of egg energy to the annual growth of flounder. *Canadian Journal of Fisheries and Aquatic Sciences* 41:1294-1302.
- Franz, D.R., and J.T. Tanacredi. 1992. Secondary production of the amphipod *Ampelisca abdita* and its importance in the diet of juvenile winter flounder (*Pleuronectes americanus*) in Jamaica Bay, New York. *Estuaries* 15: 193-203.
- Fritz, C., E. LaBrecque, J. Tober, P.J. Behr and I. Valiela. 1996. Shrimp in Waquoit Bay: effects of nitrogen loading on size and abundance. *Biological Bulletin* 191(2):326-327.
- Frolander, H.F. 1955. The biology of the zooplankton of the Narragansett Bay area. Ph.D. Dissertation, Brown University. 94 pp.
- Fry, B. 2002. Conservative mixing of stable isotopes across estuarine salinity gradients: A conceptual framework for monitoring watershed influences on downstream fisheries production. *Estuaries* 25(2):264-271.
- Ganz, A.R. 1975. Observations of the Narragansett Bay menhaden fishery. Division of Fish and Wildlife Leaflet No. 45. 29 pp.
- Garrison, L.P., and J.S. Link. 2000. Dietary guild structure of the fish community in the Northeast United States continental shelf ecosystem. *Marine Ecology Progress Series* 202:231-240.
- Gibson, M. 2002a. Ex-vessel Value of Fishery Production Foregone in Mt. Hope Bay as a result of Operations at USGEN of New England's Brayton Point Station. RI Division of Fish and Wildlife, Marine Fisheries.

- Gibson, M. 2002b. Winter flounder abundance near Brayton Point Station, Mt. Hope Bay revisited: separating local from regional impacts using long term abundance data. Rhode Island Division of Fish and Wildlife, Marine Fisheries.
- Gibson, M.R. 1995. Rhode Island Marine Fisheries Council winter flounder advisory report.
- Gibson, M.R. 1996. Comparison of trends in the finfish assemblage of Mt. Hope Bay and Narragansett Bay in relation to operations at the New England Power Brayton Point Station. RI Division Fish and Wildlife Research Reference Document 1995/1.
- Gibson, M.R. 1998. Recent trends in abundance, recruitment, and fishing mortality for winter flounder in Narragansett Bay and Rhode Island coastal waters. Report to the RI Marine Fisheries Council. Res. Ref. Doc. 98 RI Division of Fish and Wildlife, Wickford, Rhode Island.
- Gilmurray, M.C., and G.R. Daborn. 1981. Feeding relations of the Atlantic silverside *Menidia menidia* in the Minas Basin, Bay of Fundy. Marine Ecology Progress Series 6(3): 231-235.
- Goldberg, R., B. Phelan, J. Pereira, S. Hagan, P. Clark, A. Bejda, A. Calabrese, A. Studholme, and K.W. Able. 2002. Variability in habitat use by young-of-the-year winter flounder, *Pseudopleuronectes americanus*, in three northeastern U.S. estuaries. Estuaries. 25(2):215-226.

- Goncalves, F., R. Ribeiro, and A.M.V.M. Soares. 1995. *Rhithropanopeus harrisi* (Gould), an American crab in the estuary of the Mondego River, Portugal. *Journal of Crustacean Biology* 15(4):756-762.
- Gonzalez, J.G. 1972. Seasonal variation in the responses of estuarine populations to heated water in the vicinity of a steam generating plant. MS Thesis, University of Rhode Island, Kingston, Rhode Island. 142 pp.
- Gonzalez, J.G. 1974. Critical thermal maxima and upper lethal temperatures for the Calanoid copepods *Acartia tonsa* and *A. clausi*. *Marine Biology* 27:219-223.
- Goodrich, D.M., J. Van Montfrans, and R.J. Orth. 1989. Blue crab megalopal influx to Chesapeake Bay: evidence for a wind-driven mechanism. *Estuarine, Coastal and Shelf Science* 29:247-260.
- Gordon, R.B. 1982. Wind-driven circulation in Narragansett Bay. Thesis, Department of Ocean Engineering, University of Rhode Island. 166 pp. (ABSTRACT)
- Gordon, R.B., and M.L. Spaulding. 1987. Numerical simulations of the tidal-and wind-driven circulation in Narragansett Bay. *Estuarine, Coastal and Shelf Science* 24:611-636.
- Govoni, J.J. 1993. Flux of larval fishes across frontal boundaries: examples from the Mississippi River Plume front and the western Gulf Stream front in winter. *Bulletin of Marine Science* 53(2):538-566.
- Granger, S., M. Brush, B. Buckley, M. Traber, M. Richardson, and S.W. Nixon. 2000. An assessment of eutrophication in Greenwich Bay . Paper #1. In:

- Restoring water quality in Greenwich Bay: A white paper series. Edited by M. Schwartz. Rhode Island Sea Grant, Narragansett, Rhode Island.
- Grabe, S.A. 1980. Food of age 1 and 2 Atlantic tomcod, *Microgadus tomcod*, from Haverstraw Bay, Hudson River. New York Fishery Bulletin 77(4):1003-1006.
- Grant, W.D., and O.S. Madsen. 1979. Combined wave and current interaction with a rough bottom. Journal of Geophysical Research 84:1797-1808.
- Grimes, B.H., M.T. Huish, J.H. Kerby, D. Moran, and E. Pendelton. 1989. Species profile: life histories and environmental requirements of coastal finfishes and invertebrates (Mid-Atlantic) – summer and winter flounder. U. S. Fishery Wildlife Service Biology Rep. 82(11.112). U.S. Army Corps of Engineers, TR EL-82-4. 18 pp.
- Griswold, C.A., and J. Prezioso. 1981. In SITU Observations on reproduction behaviour of the long-finned Squid, *Loligo pealei*. Fishery Bulletin 78(4):945-947.
- Guelpen, L.V., and C.C. Davis. 1979. Seasonal movements of the winter flounder, *Pseudopleuronectes americanus*, in two contrasting inshore locations in Newfoundland. Transactions of the American Fisheries Society 108(1):26-37.
- Gularte, R.C., W.E. Kelly, V.A. Nacci, H.S. Stephens, N.G. Coles, and J.A. Clarke, editors. 1977. Threshold erosional velocities and rates of erosion for redeposited estuarine dredge materials. Papers presented at the Second

International Symposium on Dredging Technology at Texas A&M University, Volume 1.

- Gulka, G., P.W. Chang, and K.A. Marti. 1983. Prokaryotic infection associated with a mass mortality of the sea scallop, *Placopecten magellanicus*. *Journal of Fish Diseases* 6: 355-364.
- Hacunda, J.S. 1981. Trophic relationship among demersal fishes in a coastal area of the gulf of Maine. *Fishery Bulletin* 79(4):775-788.
- Haeffner, P.A. 1973. Length-weight relationship of the sand shrimp *Crangon septemspinosus*. *Chesapeake Science* 14(2):141-143.
- Halpin, P.M. 2000. Habitat use by an inter-tidal salt-marsh fish: trade-offs between predation and growth. *Marine Ecology Progress Series* 198:203-214.
- Hanson, J.M., and S.C. Courtenay. 1996. Seasonal use of estuarines by winter flounder in the southern Gulf of St. Lawrence. *Transactions of the American Fisheries Society* 125(5):705-718.
- Hanson, J.M., and S.C. Courtenay. 1997. Seasonal distribution, maturity, condition, and feeding of smooth flounder (*Pleuronectes putnami*) in the Miramichi estuary, southern Gulf of St. Lawrence. *Canadian Journal of Zoology* 75(8):1226-1240.
- Hanson, J.M., and M. Lanteigne. 1999. Results of an experimental shrimp fishery in Chaleur Bay, southern Gulf of St. Lawrence. *North American Journal of Fisheries Management* 19:713-723.

- Hargraves, P.E. 1981. Seasonal variations of tintinnids (Ciliophora: Oligotrichida) in Narragansett Bay, Rhode Island, U.S.A. *Journal of Plankton Research* 3(1):81-91.
- Hargraves, P.E. 1988. Phytoplankton of Narragansett Bay. P.136-142. In R.G. Sheath and M.M. Harlin (eds.) *Freshwater and Marine Plants of Rhode Island*. Kendall/Hunt Pub. Co., Dubuque, Iowa.
- Harlin, M.M. 1999. A large red seaweed invades Narragansett Bay. *Maritimes* 41(4):6-9.
- Harlin, M.M., and H.M. Rines. 1993. Spatial cover of eight common macrophytes and three associated invertebrates in Narragansett Bay and contiguous waters, Rhode Island, USA. *Botanica Marina* 36:35-45.
- Harlin, M.M., H.M. Rines, C.E. Rose and M.B. Abel. 1996. Spatial heterogeneity of macrophytes and selected invertebrates in Narragansett Bay (RI, U.S.A.) as revealed by principal component and cluster analysis. *Estuarine, Coastal and Shelf Science* 42:123-134.
- Hartmann, P.C, J.G. Quinn, J.W. King, S. Tsutsumi, and H. Takada. 2000. Intercalibration of LAB's in marine sediment SRM1941a and their application as a molecular marker in Narragansett Bay sediments. *Environmental Science and Technology* 34:900-906.
- Hauxwell, J., J. Cebrian, C. Furlong, and I. Valiela. 2001. Macroalgal canopies contribute to eelgrass (*Zostera marina*) decline in temperate estuarine ecosystems. *Ecology* 82(4):1007-1022.

- Hawk, J.D. 1998. The role of the North Atlantic oscillation in winter climate variability as it relates to the winter-spring bloom in Narragansett Bay. MS Thesis University of Rhode Island, Kingston, Rhode Island.
- Hayes, K.M., T.J. Tyrrell, and G. Anderson. 1992. Estimating the benefits of water quality improvements in the upper Narragansett Bay. *Marine Resource Economics*. 7: 75-85.
- Herman, S.S. 1958. The planktonic fish eggs and larvae of Narragansett Bay. MS Thesis, University of Rhode Island, Narragansett, Rhode Island. 65 pp.
- Herman, S.S. 1959. The planktonic fish eggs and larvae of Narragansett Bay. Appendix I. *in* Hurricane damage control, Narragansett Bay and vicinity, Rhode Island and Massachusetts. A Detailed Report of Fishery Resources, U.S. Fish and Wildlife Service.
- Herman, S.S. 1963. Planktonic fish eggs and larvae of Narragansett Bay. *Limnology and Oceanography* 8:103-109.
- Hersh, D. A. 1995. Abundance and distribution of intertidal and subtidal macrophytes in Cape Cod: the role of nutrient supply and other controls. Ph.D. Thesis, Boston University. 143 pp.
- Hess, K.W. 1974. A three dimensional numerical model of steady gravitational circulation & salinity distribution in Narragansett Bay. Ph.D. Dissertation, University of Rhode Island, Kingston, Rhode Island.

- Hettler, W.F., Jr., D.S. Peters, D.R. Colby, and E.H. Laban. 1997. Daily variability in abundance of larval fishes inside Beaufort Inlet. *Fishery Bulletin* 95:477-493.
- Hickey, J.M. 1989. Massachusetts shellfish closures, monitoring programs, regulations, and the concern over the bacterial standard. Shellfish closures in Massachusetts: Status and Options. Pages 2-6 *in* Conference Proceedings, WHOI-89-35.
- Hicks, S.D. 1959a. The physical oceanography of Narragansett Bay. *Limnology and Oceanography* 4:316-327.
- Hicks, S.D. 1959b. The seasonal distribution of certain physical and chemical oceanographic variables in Narragansett Bay. Appendix B. *in* Hurricane damage control, Narragansett Bay and vicinity, Rhode Island and Massachusetts. U.S. Fish and Wildlife Service. 33 pp.
- Hicks, S.D. 1959c. Physical oceanographic studies of Narragansett Bay, 1957 and 1958. Special Scientific Report--Fisheries No. 457. 30 pp.
- Hicks, S.D., D.E. Frazier, and L.E. Garrison. 1956. Hurricane protection project: Physical oceanographic effects of proposed hurricane protection structures on Narragansett Bay under normal conditions, final report. Narragansett Marine Laboratory, Reference No. 56-12.
- Hitchcock, G.L., and T. J. Smayda. 1983. The importance of light in the initiation of the 1972-1973 winter-spring bloom in Narragansett Bay. *Limnology and Oceanography* 22: 126-134.

- Hjort, J. 1914. Fluctuations in the great fisheries of northern Europe viewed in the light of biological research. *Rapp. P. -v. Reun. Cons. int. Explor Mer* 20: 1-228.
- Hjort, J. 1926. Fluctuations in the year classes of important food fishes. *J. Cons. Int. Explor. Mer. 1*: 5-38.
- Hobbie, J.E., and J.J. Cole. 1984. Response of a detrital foodweb to eutrophication. *Bulletin of Marine Science* 35(3):357-363.
- Hoffman, E. 1987. Pollution inputs. Pages 31-69 *in* Narragansett Bay: issues, resources, status and management. U.S. NOAA Estuary-of-the-Month Seminar Series No.1. NOAA Estuarine Programs Office, Washington, D.C.().
- Hoffman, E.J. 1984a. Oil spills in Narragansett Bay. U.S. Coast Guard, Marine Safety Office, Providence, Rhode Island.
- Hoffman, E.J. 1984b. Inventory of pollutant inputs to the Ten Mile and Taunton Rivers. Pages 355-371 *in* Hoffman, E.J., and J.G. Quinn, principal investigators. *Hydrocarbons and Other Pollutants in Urban Runoff and Combined Sewer Overflows*. NOAA Oceans Assessments Division, Grant NA80RAD00047. 691 pp.
- Hoffman, E.J. 1985. Oil spills in Narragansett Bay: comparison between federal and state records. *Marine Pollution Bulletin* 16(6):240-243.
- Hoffman, E.J., J.S. Latimer, G.L. Mills, C.G. Carey, and J.G. Quinn. 1984. Pathways of pollutant entry into Narragansett Bay. Pages 1-71 *in* Hoffman, E.J., and J.G. Quinn, principal investigators. *Hydrocarbons and*

- other pollutants in urban runoff and combined sewer overflows. NOAA Oceans Assessments Division, Grant NA80RAD00047. 691 pp.
- Hoffman, E.J., and J.G. Quinn. 1985. Measuring the sources of pollution in Narragansett Bay. *Maritimes* 29(1):4-7.
- Holmsen, A.A. 1973. Rhode Island's floating fish trap fishery. URI Marine Advisory Service, Marine Bulletin Series no. 14. 10 pp.
- Holohan, B.A., E.G. Klos, and C.A. Oviatt. 1998. Population density, prey selection, and predator avoidance of the burrowing anemone (*Ceriantheopsis americanus*) in Narragansett Bay, Rhode Island. *Estuaries* 21(3):466-469.
- Hornbeak, F.K., P.J. Sawyer, and E.S. Sawyer. 1982. Growth of winter flounder (*Pseudopleuronectes americanus*) and smooth flounder (*Liopsetta putnam*) in heated and unheated water. *Aquaculture* 28(3-4):363-373.
- Hoss, D.E., L. Coston-Clements, D.S. Peters, and P.A. Tester. 1988. Metabolic responses of spot, *Leiostomus xanthurus*, and Atlantic Croaker, *Micropogonias undulates*, larvae to cold temperatures encountered following recruitment to estuaries. *Fishery Bulletin* 86(3):483-488.
- Houde, E.D. 1987. Fish early life dynamics and recruitment variability. *American Fishery Society Symposium* 2:17-29.
- Howe, A.B., and P.G. Coates. 1975. Winter flounder movements, growth and mortality off Massachusetts. *Transactions of the American Fisheries Society* 104:13-29.

- Howe, A.B., P.G. Coates, and D.E. Pierce. 1976. Winter flounder estuarine year-class abundance, mortality, and recruitment . Transactions of the American Fisheries Society 105(6):647-657.
- Howell, P.T., D.R. Molnar, and R.B. Harris. 1999. Juvenile winter flounder distribution by habitat type. Estuaries. 22(4):1090-1095.
- Howell, P.T., and D. Simpson. 1994. Abundance of marine resources in relation to dissolved oxygen in Long Island Sound. Estuaries 17(2):394-402.
- Huang, W., and M.L. Spaulding. 1994. Three-dimensional modeling of circulation and salinity in Mount Hope Bay and the lower Taunton River. Pages 500-508 in Estuarine and coastal modeling III. Proceedings of the 3rd International Conference, ASCE.
- Huang, W., and M.L. Spaulding. 1995a. A three-dimensional numerical model of estuarine circulation and water quality induced by surface discharges. ASCE Journal of Hydraulic Engineering 121(4):300-311.
- Huang, W., and M.L. Spaulding. 1995b. Modeling of CSO-induced pollutant transport in Mt. Hope Bay. ASCE Journal of Environmental Engineering 121(7):492-498.
- Huber, I. 1999. Report on the analysis of true color aerial photographs to map submerged aquatic vegetation and coastal resource areas in Narragansett Bay tidal waters and nearshore areas of Rhode Island and Massachusetts. Narragansett Bay Estuary Program Report (Pell# qk930 h8 1999).
- Hughes, J.E., L.A. Deegan, J.C. Wyda, and A. Wright. 2000. An index of biotic integrity based on fish community structure applied to Rhode Island and

Connecticut estuaries. Submitted to Long Island Sound research Conference.

- Hughes, J.E., L.A. Deegan, M.J. Weaver, and J.E. Costa. 2002a. Regional application of an index of estuarine biotic integrity based of fish communities. *Estuaries* 25(2):250-263.
- Hughes, J.E., L.A. Deegan, J.C. Wyda, M.J. Weaver, and A. Wright. 2002b. The effects of eelgrass habitat loss on estuarine fish communities of southern New England. *Estuaries* 25(2):235-249.
- Hulsizer, E.E. 1976. Zooplankton of lower Narragansett Bay, 1972-1973. *Chesapeake Science* 17:260-270.
- Hunt, C.D., M.F. Fox, S.R. Jackson, and M.E.Q. Pilson. 1987a. Narragansett Bay water quality monitoring and source strength measurements. Cruise and Data Report, SINBADD 4, May 19-22, 1986. (SINBADD Cruise and Data Reports).
- Hunt, C.D., M.F. Fox, W.M. Warren, S.R. Jackson, and M.E.Q. Pilson. 1987b. Narragansett Bay water quality monitoring and source strength measurements. Cruise and Data Report, SINBADD 3, April 7-10, 1986. SINBADD Cruise and Data Reports.
- Hunt, C.D., P.A. Sampou, S.R. Jackson, W.M. Warren, J.D. Cullen, J. Coyne, and M.E.Q. Pilson. 1987c. Narragansett Bay water quality monitoring and source strength measurements. Cruise and Data Report, SINBADD 1, Oct. 21-24, 1985. Department of Environmental Management, Rhode Island. 78 pp.

- Hunt, C.D, S.R. Warren, P.A. Sampou, S.R. Jackson, and M.E.Q. Pilson. 1987d. Narragansett Bay water quality monitoring and source strength measurements. Cruise and Data Report, SINBADD 2, November 18-21, 1985.
- Hunter, J.R. 1981. Feeding ecology and predation of marine fish larvae. Pages 33-77 *In* R. Lasker (ed.), Marine fish larvae. Seattle, University of Washington Press.
- Hurt, A.C., and J.G. Quinn. 1979. Distribution of hydrocarbons in Narragansett Bay sediment cores. *Environmental Science and Technology* 13(7):829-836.
- Isaji, T., and H.M. Rines. 1998. Analysis of the effects of the Brayton Point Station on dissolved oxygen in Mt. Hope Bay (DRAFT). Report of Applied Science Associates, Inc., to New England Power Company. Project No. 96-076.
- Isaac, R.A. 1997. Estimation of nutrient loadings and their impacts on dissolved oxygen demonstrated at Mt. Hope Bay. *Environment International* 23(2):151-165.
- Jaworski, C. 1989. A close call: the Narragansett Bay oil spill. *Maritimes* 33(4):12-13.
- Jeffries, H.P. 1962. Succession of two *Acartia* species in estuaries. *Limnology and Oceanography* 7:354-364
- Jeffries, H.P. 1964. Comparative studies on estuarine zooplankton. *Limnology and Oceanography* 9(3):348-358.

- Jeffries, H.P. 1967. Saturation of estuarine zooplankton by congeneric associates. In: G.H. Lauff (ed.), Estuaries. American Adv. Assoc. Sci. Publ. 83: 500-508.
- Jeffries, H.P. 1994. The impacts of warming climate on fish populations. Maritimes 37:12-15.
- Jeffries, H.P., S. Hale, and A. Keller. 1986. Finfish compilations for Mt. Hope Bay and the Providence River, Rhode Island: otter trawls and power plant intake screens. Narragansett Bay Project Report 1986-2. 103 pp. The Narragansett Bay Project, Historical Data Assessment: Finfishes of the Narragansett Bay Area.
- Jeffries, H.P., S. Hale, and A. Keller. 1988. Historical data assessment: finfishes of the Narragansett Bay area, Report 1988. Narragansett Bay Project Final Report. Report No. NBP-89-15. 407 pp.
- Jeffries, H.P., and W.C. Johnson. 1974. Seasonal distributions of bottom fishes in the Narragansett Bay area: seven-year variations in the abundance of winter flounder (*Pseudopleuronectes americanus*). Journal Fisheries Research Board of Canada 31:1057–1066.
- Jeffries, H.P., A. Keller, and S. Hale. 1989. Predicting winter flounder (*Pseudopleuronectes americanus*) catches by time series analysis. Canadian Journal of Fisheries and Aquatic Science 46(9):650-659.
- Jeffries, H.P., and M. Terceiro. 1985. Cycle of changing abundance in the fishes of the Narragansett Bay area. Marine Ecology Progress Series 25:239-244.

- Jerald, A., Jr., S.L. Sass, and M.F. Davis. 1992. Early growth, behavior, and otolith development of the winter flounder *Pleuronectes americanus*. Fishery Bulletin 91:65-75.
- Jones, D.S., M.A. Arthur, and D.J. Allard. 1989. Sclerochronological records of temperature and growth from shells of *Mercenaria mercenaria* from Narragansett Bay, Rhode Island. Marine Biology 102:225-234.
- Jones, G.R., J.D. Nash, and G.H. Jirka. 1996. CORMIX3: an expert system for mixing zone analysis and prediction of buoyant surface discharges. DeFrees Hydraulics Laboratory, School of Civil and Environmental Engineering, Cornell University, Ithaca, NY. Cooperative Agreement No. CR 818527. Report to Office of Science and Technology, U.S. Environmental Protection Agency, Washington, DC. August 1996.
- Joyeux, J.C. 1999. The abundance of fish larvae in estuaries: within-tide variability at inlet and immigration. Estuaries 22(4):889-904.
- Karentz, D., and T.J. Smayda. 1984. Temperature and seasonal occurrence patterns of 30 dominant phytoplankton species in Narragansett Bay over a 22-year period (1959-1980). Marine Ecology Progress Series 18:277-293.
- Karentz, D. and T. J. Smayda. 1998. Temporal patterns and variations in phytoplankton community organization and abundance in Narragansett Bay during 1959 – 1980. Journal of Plankton Research 20:145-168.
- Kaufman, J.T., and E.E. Adams. 1981. Coupled near- and far-field thermal plume analysis using finite element techniques. Massachusetts Institute of Technology. Energy Laboratory Report No. MIT-EL: 81-036.

- Keats, D.W. 1990. Food of winter flounder *Pseudopleuronectes americanus* in a sea urchin dominated community in eastern Newfoundland. Marine Ecology Progress Series 60: 13-22.
- Keith, D.J., W.R. Davis, and J.F. Paul. 1991. Sediment erodibility in Narragansett Bay, Rhode Island: a method of predicting sediment dynamics. Current Report of the Narragansett Bay Project. Report NBP-91-69. 58 pp.
- Keller, A.A., and G. Klein-MacPhee. 2000. Impact of elevated temperature on the growth, survival, and trophic dynamics of winter flounder larvae: a mesocosm study. Canadian Journal of Fisheries and Aquatic Sciences 57:2382-2392.
- Keller, A.A., G. Klein-MacPhee, and J. St. Onge Burns. 1999a. Abundance and distribution of ichthyoplankton in Narragansett Bay, Rhode Island, 1989-1990. Estuaries 22:149-163.
- Keller, A.A., C.A. Oviatt, H.A. Walker, and J.D. Hawk. 1999b. Predicted impacts of elevated temperature on the magnitude of the winter-spring phytoplankton bloom in temperate coastal waters: a mesocosm study. Limnology and Oceanography 44(2):344-356.
- Kelly, J.R., and S.W. Nixon. 1984. Experimental studies of the effect of organic deposition on the metabolism of a coastal marine bottom community. Marine Ecology Progress Series 17:157-169.

- Kelsch, S.W., and W.H. Neill. 1990. Temperature preference versus acclimation in fishes: selection for changing metabolic optima. *Transactions of the American Fisheries Society* 119:601-610.
- Kennedy, V.S. 1990. Anticipated effects of climate change on estuarine and coastal fisheries. *Fisheries* 15(6):16-24.
- Kerber, J.E. 1984. Cores and quahogs and prehistoric humans. *Maritimes* 28(4):4-5.
- Kern, F.G. 1986. Narragansett Bay Project: quahog histopathology studies, draft final report. U.S. Environmental Protection Agency, Region I, Water Management Division. (# GC97 N3 1986 K4).
- Kerr, M. 1992. River rescue data report. Year one (OCT 1990- AUG 1991) Blackstone River, Moshassuck River, Woonasquatucket5 River, Pawtuxet River. National Sea Grant Depository publication (#RIU-T-92-002).
- Kester, D.R., M.F. Fox, and A. Magnuson. 1996. Modeling, measurements, and satellite remote sensing of biologically active constituents in coastal waters. *Marine Chemistry* 53:131-145.
- Kester, D.R., D.W. King, W.L. Miller, D.L. Cullen, and C.D. Hunt. 1987. Compilation of trace metal concentrations in Narragansett Bay waters. Graduate School of Oceanography, University of Rhode Island Technical Report No. 87-9. 33 pp.
- Khan, R.A. 1999. Length-mass relationship, histopathology, and parasitism in winter flounder (*Pleuronectes americanus*) living near a PCB-

- contaminated naval facility in Newfoundland. *Canadian Journal of Zoology* 77:381-388.
- Klein-MacPhee, G., B.K. Sullivan, and A.A. Keller. 1993. Using mesocosms to assess the influence of food resources and toxic materials on larval fish growth and survival. Pages 105-116 in *American Fisheries Society Symposium* 14, Bethesda, Maryland.
- Kneib, R.T. 1997. The role of tidal marshes in the ecology of estuarine nekton. *Oceanography and Marine Biology - An Annual Review* 35:163-220.
- Kopp, B.S., A.M. Doherty, and S.W. Nixon. 1995. Unpublished. A guide to site-selection for Eelgrass restoration projects in Narragansett Bay, Rhode Island. Unpublished Report: EPA/RI DEM.
- Kremer, J.N., and S.W. Nixon. 1978. A coastal marine ecosystem: Simulation and Analysis. *Ecological Studies* 24. Springer-Verlag, New York.
- Kremer, P. 1975a. The ecology of the ctenophore *Mnemiopsis leidyi* in Narragansett Bay. Ph.D. Dissertation, University of Rhode Island.
- Kremer, P. 1975b. Nitrogen regeneration by the ctenophore *Mnemiopsis leidyi*. Pages 279-290 in Howell, F.G., J.B. Gentry, and M.H. Smith, editors. Mineral cycling in southeastern ecosystems. ERDA Symposium Series (CONF-740513).
- Kremer, P. 1976a. Population dynamics and ecological energetics of a pulsed zooplankton predator, the ctenophore *Mnemiopsis leidyi*. Pages 197-215 in M. Wiley, editor. *Estuarine Processes*, vol. 1. Academic Press, New York.

- Kremer, P. 1976b. Excretion and body composition of the ctenophore *Mnemiopsis leidy* (A. Agassiz): comparisons and consequences. Pages 351-362 in Persoone, G. and E. Jaspers, (eds.), 10th European marine biology symposium, 2. Universal Press, Wettern, Belgium.
- Kremer, P. 1977. Respiration and excretion by the ctenophore *Mnemiopsis leidy*. *Marine Biology* 44:43-50.
- Kremer, P. 1979. Predation by the ctenophore *Mnemiopsis leidy* in Narragansett Bay, Rhode Island. *Estuaries* 2:97-105.
- Kremer, P.M., and S.W. Nixon. 1976. Distribution and abundance of the ctenophore *Mnemiopsis leidy* in Narragansett Bay. *Estuarine Coastal Marine Science* 4:627-639.
- Kumekawa, G., C. Giliberto, L. Carlson, G. Poirier. 1987. Towards the management of Narragansett Bay: an institutional analysis. Current Report of the Narragansett Bay Project. Report #NBP-90-35. 1.
- Landers, W.S. 1941. Age determination of the winter flounder of Narragansett Bay by otolith analysis. MS Thesis, University of Rhode Island, Department of Zoology, Kingston, Rhode Island. 44 pp.
- Langton, R.W., and R.E. Bowman. 1981. Food of eight Northwest Atlantic Pleuronectiforme fishes. NOAA Technical Report NMFS SSRF-749. 16 pp.
- Lankford, T.E., Jr., and T.E. Targett. 1994. Suitability of estuarine nursery zones for juvenile weakfish (*Cynoscion regalis*): effects of temperature and salinity on feeding, growth and survival. *Marine Biology* 119:611-620.

- Lankford, T.E., Jr., and T.E. Targett. 1997. Selective predation by juvenile weakfish: post-consumptive constraints on energy maximization and growth. *Ecology* 78(4):1049-1061.
- Lapham, W.W., and J.C. Olimpio. 1989. Yield and ground water from stratified-drift aquifers, Taunton River basin, Massachusetts: executive summary. *Water Res. Invest. US Geological Survey* 1989. 18 pp.
- Laprise, R., and J.J. Dodson. 1990. The mechanism of retention of pelagic tomcod, *Microgadus tomcod*, larvae and juveniles in the well-mixed part of the St. Lawrence Estuary. *Environmental Biology of Fishes* 29:293-302.
- Laroche, WA. 1981. Development of larval smooth flounder, *Liopsetta putnami*, with a redescription of development of winter flounder, *Pseudopleuronectes americanus* (Family Pleuronectidae). *Fishery Bulletin* 78(4):897-909.
- Lasker, R. 1975. Field criteria for survival of anchovy larvae: the relation between inshore chlorophyll maximum layers and successful first feeding. *Fishery Bulletin* 73:453-462.
- Lasker, R. 1981. The role of a stable ocean in larval fish survival and subsequent recruitment. Pages 80-87 in R. Lasker (ed.), *Marine fish larvae*. Seattle, University of Washington Press.
- Latimer, J.S., and J.G. Quinn. 1996. Historical trends and current inputs of hydrophobic organic compounds in an urban estuary: the sedimentary record. *Environmental Science and Technology* 30:623-633.

- Latimer, J.S., and J.G. Quinn. 1998. Aliphatic petroleum and biogenic hydrocarbons entering Narragansett Bay from tributaries under dry weather conditions. *Estuaries* 21(1):91-107.
- Lauder, E.B., and D.B. Spalding. 1974. The numerical computation of turbulent flows. *Computational Method in Applied Engineering* 3:269-289.
- Laurence, G.C. 1977. A Bioenergetic model for the analysis of feeding and survival potential of winter flounder, *Pseudopleuronectes americanus*, larvae during the period from hatching to metamorphosis. *Fishery Bulletin* 75(3):529-546.
- Laurence, G.C. 1979. Larval length-weight relations for seven species of northwest Atlantic fishes reared in the laboratory. *Fishery Bulletin* 76(4):890-895.
- Laursen, A.E., S.P. Seitzinger, R. Dekorsey, J.G. Sanders, D.L. Breitburg, and R.W. Osman. 2002. Multiple stressors in an estuarine system: effects on nutrients, trace elements, and trophic complexity on benthic photosynthesis and respiration. *Estuaries* 25(1):57-69.
- Lawrence, S.A. 1982. Population continuity and seasonal egg production variation in the copepod, *Tortanus discaudatus*, in Narragansett Bay, Rhode Island. MS Thesis, Graduate School of Oceanography, University of Rhode Island. 162 pp.
- Lawrence, S.A., and A.N. Sastry. 1985. The Role of Temperature in seasonal variation in Egg Production by the Copepod, *Tortanus discaudatus*

- (Thompson and Scott), in Narragansett Bay. *Journal of Experimental Marine Biology and Ecology* 1:151-167.
- Lazzari, M.A. 2001. Dynamics of larval fish abundance in Penobscot Bay, Maine. *Fishery Bulletin* 99(1):81-93.
- LeBlanc, L.R., S. Panda, and S.G. Schock. 1992. Sonar attenuation modeling for classification of marine sediments. *Journal of the Acoustical Society of America* 91:116-126.
- Lee, G.W.Y., and M.K. Litvak. 1996. Weaning of metamorphosed winter flounder (*Pleuronectes americanus*) reared in the laboratory: comparison of two commercial artificial diets on growth, survival and conversion efficiency. *Aquaculture* 144:251-263.
- Lee Pare and Associates. 1982. Spar Island dredge material disposal site study for the New England Governor's Conference, August 13, 1982. Lee Pare Associates, Pawtucket, Rhode Island.
- Levine, E.R. 1972. The tidal energetics of Narragansett Bay. MS Thesis, University of Rhode Island, Kingston, Rhode Island.
- Levine, E.R., and K.E. Kenyon. 1975. The Tidal energetics of Narragansett Bay. *Journal of Geophysical Research* 80(12):1683-1688.
- Levings, C.D. 1974. Seasonal changes in feeding and particle selection by winter flounder (*Pseudopleuronectes americanus*). *Transactions of the American Fisheries Society* 4:828-832.

- Li, Y., and T.J. Smayda. 1998. Temporal variability of chlorophyll in Narragansett Bay during an eighteen year time series. *ICES Journal of Marine Science* 55:661-667.
- Li, Y., and T.J. Smayda. 2000. *Heterosigma akashiwo* (Raphidophyceae): On prediction of the week of bloom initiation and maximum during the initial pulse of its bimodal bloom cycle in Narragansett Bay. *Plankton Biology and Ecology* 47(2):80-84.
- Li, Y., and T.J. Smayda. 2001. A chlorophyll time series for Narragansett Bay: assessment of the potential effect of tidal phase on measurement. *Estuaries* 24(3):328-336.
- Liang, S.J. 1988. A two-dimensional vertically averaged numerical coastal circulation and water quality model system. MS Thesis, Department of Ocean Engineering, University of Rhode Island. 264 pp.
- Litvak, M.K. 1999. The development of winter flounder (*Pleuronectes americanus*) for aquaculture in Atlantic Canada: current status and future prospects. *Aquaculture* 176:55-64.
- Lyczkowski-Shultz, J., D.L. Ruple, S.L. Richardson, and J.H. Cowan, Jr. 1990. Distributions of fish larvae relative to time and tide in a Gulf of Mexico barrier island pass. *Bulletin of Marine Science* 46(3):563-577.
- Lyons, P.C. 1979. Biostratigraphy of the Pennsylvanian of Massachusetts and Rhode Island. Pages A20-A24 in *The Mississippian and Pennsylvanian (Carboniferous) systems in the United States - Massachusetts, Rhode Island, and Maine*. U.S. Geological Survey Professional Paper 1110-A-L.

- Maclean, S.A. 1993. Pathological conditions of Narragansett Bay young-of-the-year winter flounder. *American Fisheries Society Symposium* 14:47-54.
- Macdonald, J.S. 1983. Laboratory observation of feeding behaviors of the ocean pout (*Macrozoarces americanus*) and winter flounder (*Pseudopleuronectes americanus*) with reference to niche overlap of natural populations. *Canadian Journal of Zoology* 61:539-546.
- MacDonald, J.S., and R.H. Green. 1986. Food resources utilization by five species of benthic feeding fish in Passamoquoddy Bay, New Brunswick. *Canadian Journal of Fisheries and Aquatic Sciences* 43:1534-1546.
- Macy, W.K., III. 1982. Feeding patterns of the long-finned squid, *Loligo pealei*, in New England waters. *Biology Bulletin* 162:28-38.
- Malatesta, R.J., P.J. Auster, and B.P. Carlin. 1992. Analysis of transect data for microhabitat correlations and faunal patchiness. *Marine Ecology Progress Series* 87(1-2):189-195
- Manderson, J.P., B.A. Phelan, A.J. Bejda, L.L. Stehlik, and A.W. Stoner. 1999. Predation by striped searobin (*Prionotus evolans*, Triglidae) on young-of-the-year winter flounder (*Pseudopleuronectes americanus*, Walbaum): examining prey size selection and prey choice using field observations and laboratory experiments. *Journal of Experimental Marine Biology and Ecology* 242:211-231.
- Manderson, J.P., B.A. Phelan, C. Meise, L.L. Stehlik, A.J. Bejda, J. Pessutti, L. Arlen, A. Draxler, and A.W. Stoner. 2002. Spatial dynamics of habitat suitability for the growth of newly settles winter flounder

Pseudopleuronectes americanus in an estuarine nursery. Marine Ecology Progress Series 228:227-239.

Manderson, J.P., B.A. Phelan, A.W. Stoner, and J. Hilbert. 2000. Predator-prey relations between age-1 + summer flounder (*Paralichthys dentatus*, Linnaeus) and age-0 winter flounder (*Pseudopleuronectes americanus*, Walbaum): predator diets, prey selection, and effects of sediments and macrophytes. Journal of Experimental Marine Biology and Ecology 251:17-39.

Martin, J.H. 1965. Phytoplankton-zooplankton relationships in Narragansett Bay. Limnology and Oceanography 10:185-191.

Martin, J.H. 1968. Phytoplankton-zooplankton relationships in Narragansett Bay. III. seasonal changes in zooplankton excretion rates in relation to phytoplankton abundance. Limnology and Oceanography 13(1):63-71.

Martin, J.H. 1970. Phytoplankton-zooplankton relationships in Narragansett Bay. IV. The seasonal importance of grazing. Limnology and Oceanography 15:413-418.

Massachusetts Division Marine Fisheries. 1979. Anadromous fishery management. Published by the MDMF, October 1979. 22 pp.

Mattheissen, G.C. 1973. Rome Point investigations quarterly progress report Dec. 1972-Feb. 1973. Marine Research, Inc., Quarterly progress report. 200 pp.

- Maurer, D., and L. Watling. 1973. Studies of oyster community in Delaware: the effects of the estuarine environment on the associated fauna. *Internationale Revue der gesamten Hydrobiologie* 58(2):161-201.
- May, R.C. 1974. Larval mortality in marine fishes and the critical period concept. Pages 3-19 in J. H. S. Blaxter (ed.), *The early life history of fish*. Springer-Verlag, Berlin.
- McCall, J.N., and J.W. Fleeger. 1993. Recognition and utilization of prey aggregations by juvenile spot (*Leiostomus xanthurus* Lacepede). *Journal of Experimental Marine Biology and Ecology* 174:121-134.
- McCleave, J.D., and S.M. Fried. 1975. Nighttime catches of fishes in a tidal cove on Montsweag Bay near Wiscasset, Maine. *Transactions of American Fisheries Society* 104(1):30-34
- McClelland, J., and I. Valiela. 1997. Nitrogen-stable isotope signature in estuarine food webs: a record of increasing urbanization in coastal watersheds. *Limnology and Oceanography* 42: 930-937.
- McClelland, J., and I. Valiela. 1998. Linking nitrogen in estuarine producers to land-derived sources. *Limnology and Oceanography* 43: 577-585
- McCluskey, Jr., W.J. 1977. Surface swarming of *squilla empusa* say (stomatopoda) in Narragansett Bay, Rhode Island, U.S.A. *Crustaceana* 33(1):102-103.
- McCutcheon, S.C., Z. Dongwei, and S. Bird. 1990. Model calibration, validation and use. Chapter 5 in *Technical Guidance Manual for Performing Waste Load Allocations, Book III: Estuaries, Part 2: Application of estuarine*

- waste load allocation models. Edited by J.J. Marin, R.B. Ambrose, and S.C. McCutcheon, U.S. Environmental Protection Agency, Office of Water Resources, March 1990.
- McLeese, D.W., and C.D. Metcalfe. 1980. Toxicities of eight organochlorine compounds in sediment and seawater to *Crangon septemspinosa*. Bulletin of Environmental Contamination and Toxicology 25:921-928.
- McLeese, D.W. and C.D. Metcalfe, and D.S. Pezzack. 1980. Uptake of PCBs from sediments by *Nereis virens* and *Crangon septemspinosa*. Archives of Environmental Contamination and Toxicology 9(5): 507-518.
- McMaster, R.L. 1960. Sediments of Narragansett Bay system and Rhode Island Sound, Rhode Island. Journal of Sedimentary Petrology 30(2):249-274.
- McMaster, R.L., and W.B. Clarke. 1956. A survey of bottom surface sediments in upper Narragansett and Mount Hope Bays. Report, Narragansett Marine Laboratory, University of Rhode Island, Kingston, Rhode Island. 9 pp.
- Meise, C., J.S. Collie, J. Widman, and P. Howell. 1999. Growth and mortality of juvenile winter flounder in two New England. Estuaries 22(2A):297-303.
- Mellor, G., and A. Blumberg. 1985. Modeling vertical and horizontal diffusivities with the sigma coordinate system. Monthly Weather Review 113:1379-1383.
- Meng, L., C. Gray, B. Taplin, and E. Kupcha. 2000. Using winter flounder growth rates to assess habitat quality in Rhode Island's coastal waters. Marine Ecology Progress Series 201:287-299.

- Meng, L., and J.C Powell. 1999. Linking juvenile fish and their habitats: an example from Narragansett Bay, Rhode Island. *Estuaries* 22:905-916.
- Meng, L., J.C. Powell, and B. Taplin. 2001. Using winter flounder growth rates to assess habitat quality across an anthropogenic gradient in Narragansett Bay, Rhode Island. *Estuaries* 24(4):576-584.
- Menzie, C.A., S.S. Hoepfner, J.J. Cura, J.S. Freshman, and E.N. Lafrey. 2002. Urban and suburban storm water runoff as a source of polycyclic aromatic hydrocarbons (PAHs) to Massachusetts estuarine and coastal environments. *Estuaries* 25(2):165-176.
- Miller, J.M. 1988. Physical processes and the mechanisms of coastal migrations of immature marine fishes. *American Fisheries Society Symposium* 3:68-76.
- Miller, J.M., L.B. Crowder, and M.L. Moser. 1985. Migration and utilization of estuarine nurseries by juvenile fishes: an evolutionary perspective. *Contributions in Marine Science* 27(Supplement):338-352.
- Miller, J.M., J.P. Reed, and L.J. Pietrafesa. 1984. Patterns, mechanisms and approaches to the study of migrations of estuarine-dependent fish larvae and juveniles. Pages 209-225 in McCleave, J.D., G.P. Arnold, J.J. Dodson, and W.H. Neill, editors. *Mechanisms of migration in fishes*. Plenum, New York.
- Miltner, R.J., S.W. Ross, and M.H. Posey. 1995. Influence of food and predation on the depth of juvenile spot (*Leiostomus xanthurus*) in tidal nurseries. *Canadian Journal of Fisheries and Aquatic Sciences* 52(5):971-982.

- Modlin, R.F. 1980. The life cycle and recruitment of the sand shrimp, *Crangon septemspinosus*, in the Mystic River Estuary, Connecticut. *Estuaries* 3(1):1-10.
- Monaco, M.E., and R.E. Ulanowicz. 1997. Comparative ecosystem trophic structure of three U.S. Mid-Atlantic estuaries. *Marine Ecology Progress Series* 161:239-254.
- Monteleone, D.M. 1992. Seasonality and abundance of ichthyoplankton in Great South Bay, New York.. *Estuaries* 15(2):230-238.
- Moore, M.J., D. Shea, R.E. Hillman, and J.J. Stegeman. 1996. Trends in hepatic tumours and hydropic vacuolation, fin erosion , organic chemicals and stable isotope ratios in winter flounder from Massachusetts. USA. *Marine Pollution Bulletin* 32(6): 458-470.
- Morris, A.W., and M.J. Howarth. 1998. Bed stress induced sediment resuspension. *Continental Shelf Research* 18:1203-1213.
- Morton, R.W. 1972. Spatial and temporal distribution of suspended sediment in Narragansett Bay and Rhode Island Sound. Pages 131-141 *in* Environmental Framework of Coastal Plain Estuaries, Geological Society of America Memoir 133.
- Moser, M.L., and J.M. Miller. 1994. Effects of salinity fluctuation on routine metabolism of juvenile spot, *Leiostomus xanthurus*. *Journal of Fish Biology* 45:335-340.
- MRI (Marine Research, Inc.). 1974. Rome Point Investigations. Narragansett Bay Ichthyoplankton Survey, Final Report. Falmouth, Massachusetts.

- MRI (Marine Research, Inc.). 1999. Comparisons of benthic, phytoplankton, zooplankton populations, nutrient, chlorophyll concentrations and productivity values between 1972-1985 and 1997/1998. Supplement A, Annual Report. Falmouth, Massachusetts.
- Muin, M. 1993. A three-dimensional boundary fitted circulation model in spherical coordinates. Ph.D. Dissertation, University of Rhode Island, Kingston, Rhode Island.
- Muin, M., and M.L. Spaulding. 1996. Two-dimensional boundary fitted circulation model in spherical coordinates. *Journal of Hydraulic Engineering* 122(9):512-521.
- Muin, M., and M.L. Spaulding. 1997a. Three-dimensional boundary fitted circulation model. *Journal of Hydraulic Engineering* 123(1):2-12.
- Muin, M., and M.L. Spaulding. 1997b. Application of three-dimensional boundary fitted circulation model to the Providence River. *Journal of Hydraulic Engineering* 123(1):13-20.
- Munk, W.H., and E.R. Anderson. 1948. Notes on the theory of thermocline. *Journal of Marine Research* 1:276.
- Munroe, T.A., and R.A. Lotspeich. 1979. Some life history aspects of the seaboard goby (*Gobiosoma ginsburgi*) in Rhode Island. *Estuaries* 2(1):22-27.
- Mustard, J.F., M.A. Carney, and A. Sen. 1999. The use of satellite data to quantify thermal effluent impacts. *Estuarine, Coastal and Shelf Science* 49:509-524.

- Needham, B., and D. Robadue. 1990. Historical review of water quality management and pollution abatement in Narragansett Bay. Current Reports of the Narragansett Bay Project. Report #NBP-90-45. 68 pp.
- Nelson, D.A., R. Mercaldo-Allen, J.E. Miller, C. Kuropat, D. Rusanowsky, E. Gould, R.A. Greig, F.P. Thurberg, G.R. Sennefelder, and A. Calabrese. 1991. Comparative reproductive success of winter flounder in Long Island Sound: a three-year study (biology, biochemistry, and chemistry). *Estuaries* 14(3):318-331.
- NEPC (New England Power Company). 1996. A summary report of biological and hydrological studies conducted in support of New England Power Company's Brayton Point Station. New England Power Company.
- NEPC and MRI (New England Power Company and Marine Research, Inc.). 1996. Brayton Point Station annual biological and hydrological report January-December 1995. Falmouth, Massachusetts.
- Nitschke, P., R. Brown, and L. Hendrickson. 2000. Winter flounder. Review of NMFS data. Available: www.nefsc.nmfs.gov/sos/spsyn/fldrs/winter/.
- Nixon, S.W. 1995. Metal inputs to Narragansett Bay: a history and assessment of recent conditions. Rhode Island Sea Grant, Narragansett, Rhode Island.
- Nixon, S.W. 1997. Prehistoric nutrient inputs and productivity in Narragansett Bay. *Estuaries* 20(2):253-261.
- Nixon, S.W., S.L. Granger, and B.L. Nowicki. 1995. An assessment of the annual mass balance of carbon, nitrogen and phosphorus in Narragansett Bay. *Biogeochemistry* 31:15-61.

- Nixon, S.W., and C.A. Oviatt. 1973. Ecology of a New England salt marsh. Ecological Monographs 43:463-498.
- NOAA (National Oceanic and Atmospheric Administration). 1987. A summary of selected data on chemical contaminants in tissues collected during 1984, 1985, and 1986. National Status and Trends Program for Marine Environmental Quality. Progress Report. NOAA Technical Memorandum NOS OMA 38.
- NOAA (National Oceanic and Atmospheric Administration). 1988. A summary of selected data on chemical contaminants in sediments collected during 1984, 1985, 1986, and 1987. National Status and Trends Program for Marine Environmental Quality. Progress Report. NOAA Technical Memorandum NOS OMA 44.
- NOAA (National Oceanic and Atmospheric Administration). 1991. Second summary of data on chemical contaminants in sediments from the National Status and Trends program. NOAA Technical Memorandum NOS OMA 59.
- NOAA (National Oceanic and Atmospheric Administration). 1992. Narragansett Bay-marine facility chart no. 13221. U.S. Department of Commerce, National Ocean Service, Coast and Geodetic Survey, Washington, DC.
- NOAA/NOS (National Oceanic and Atmospheric Administration/National Ocean Survey). 1993. Tide tables. 1994 high and low water predictions, east coast of North and South America including Greenland. U.S. Dept. of

- Commerce, National Oceanic and Atmospheric Administration/National Ocean Service. 301 pp.
- Officer, C.B., and D.R. Kester. 1991. On estimating the non-advective tidal exchanges and advective gravitational circulation exchanges in an estuary. *Estuarine, Coastal and Shelf Science*.32: 99-103.
- Olla, B.L., R. Wicklund and S. Wilk. 1969. Behavior of winter flounder in a natural habitat. *Transactions of the American Fisheries Society* 98(4):717-720.
- Olmi, E.J. 1990. Predation on blue crab megalopae: effects of predator species, habitat and prey density. *Bulletin of Marine Science* 46(1): 248.
- Olsen, S., and G.L. Seavey. 1983. The state of Rhode Island: coastal resources management program, as amended June 28, 1983. Coastal Resources Management Council, Providence, Rhode Island. 127 pp.
- O'Neil, T.O., and J.S. Benedict. 1980. Proposed estuarine sanctuary grant award for a Narragansett Bay estuarine sanctuary, Newport County, Rhode Island, to the State of Rhode Island. Draft environmental impact statement. U.S. Dept. Commerce, National Oceanic and Atmospheric Administration, Office of Coastal Zone Management Report.
- Oviatt, C.A. 1989. The health of Narragansett Bay: an overview of recent studies. *Maritimes* 33(4):1-4.
- Oviatt, C.A., B. Buckley, and S. Nixon. 1981. Annual phytoplankton metabolism in Narragansett Bay calculated from survey field measurements and microcosm observations. *Estuaries* 4:167-175.

- Oviatt, C.A., P.H. Doering, and B.L. Nowicki. 1993. Net system production in coastal waters as a function of eutrophication, seasonality and benthic macrofaunal abundance. *Estuaries* 16:247-254.
- Oviatt, C., P. Doering, B. Nowicki, L. Reed, J. Cole, and J. Frithsen. 1995. An ecosystem level experiment on nutrient limitation in temperate coastal marine environments. *Marine Ecology Progress Series* 116:171-179.
- Oviatt, C.A., A.L. Gall, and S.W. Nixon. 1972. Environmental effects of Atlantic Menhaden on surrounding waters. *Chesapeake Science* 13(4):321-323.
- Oviatt, C.A., and S.W. Nixon. 1973. The demersal fish of Narragansett Bay: an analysis of community structure, distribution and abundance. *Estuarine, and Coastal Marine Science* 1: 361-378.
- Payne, P.M., and L.A. Selzer. 1989. The distribution, abundance and selected prey of the harbor seal, *Phoca vitulina concolor*, in southern New England. *Marine Mammal Science* 5:173-192.
- Pearce, J.B. 1969. Thermal addition and the benthos, Cape Cod Canal. *Chesapeake Science* 10(3-4):227-233.
- Pearcy, W.G. 1962a. Ecology of an estuarine population of winter flounder, *Pseudopleuronectes americanus* (Walbaum). Part I-IV. *Bulletin Bingham Oceanography Collection Yale University* 18(1):1-78.
- Pearcy, W.G. 1962b. Ecology of an estuarine population of winter flounder, *Pseudopleuronectes americanus* (Walbaum). Part I. Hydrography of the

- Mystic River Estuary. Bull. Bingham Oceanographic Collection Yale University 18(1): 5-15.
- Pearcy, W.G. 1962c. Ecology of an estuarine population of winter flounder, *Pseudopleuronectes americanus* (Walbaum). Part II. Distribution and dynamics of larvae. Bulletin of the Bingham Oceanographic Collection Yale University 18(1):16-38.
- Pearcy, W.G. 1962d. Ecology of an estuarine population of winter flounder, *Pseudopleuronectes americanus* (Walbaum). Part III. Distribution, abundance, growth, and production of juveniles: survival of larvae and juveniles. Bulletin of the Bingham Oceanographic Collection Yale University 18(1):39-64.
- Pearcy, W.G. 1962e. Ecology of an estuarine population of winter flounder, *Pseudopleuronectes americanus* (Walbaum). Part IV. Food habitats of larvae and juveniles. Bulletin of the Bingham Oceanographic Collection Yale University 18(1):65-78.
- Peckol, P., S.C. Levings, and S.D. Garrity. 1990. Kelp response following the World Prodigy oil spill. Marine Pollution Bulletin 21(10):473-476.
- Pereira, J.J., R. Goldberg, J.J. Ziskowski, P.L. Berrien, W.W. Morse, and D.L. Johnson. 1999. Essential fish habitat source document: winter flounder, *Pseudopleuronectes americanus*, life history and habitat characteristics. NOAA Technical Memorandum NMFS-NE-138. 39 pp.

- Perlmutter, A. 1947. The blackback flounder and its fishery in New England and New York. Bulletin of the Bingham Oceanographic Collection Yale University 11(2):1-92.
- Peterson, C.H., H.C. Summerson, and R.A. Luetlich, Jr. 1996. Response of bay scallops to spawner transplants: a test of recruitment limitation. Marine Ecology Progress Series 132:93-107.
- Petruny-Parker, M.E., and D.D. Robadue, Jr. 1985. The Seekonk River: a case history of estuarine management. Pages 884-888 in Oceans '85 Proceedings: Ocean Engineering and the Environment., 1985, vol. 2. Marine Technology Soc., Washington, DC and IEEE Ocean Eng. Soc., NY (USA).
- Phelan, B.A. 1992. Winter flounder movements in the inner New York Bight. Transaction of American Fishery Society 121:777-784.
- Phelan, B.A., R. Goldberg, A.J. Bejda, J. Pereira, S. Hagan, P. Clark, A.L. Studholme, A. Calabrese, and K.W. Able. 2000. Estuarine and habitat-related differences in growth Rates of young-of-the-year winter flounder (*Pseudopleuronectes americanus*) and tautog (*Tautoga onitis*) in three northeastern US estuaries. Journal of Experimental Marine Biology and Ecology 247:1-28.
- Phelan, B.A., J.P. Manderson, A.W. Stoner, and A.J. Bejda. 2001. Size-related shifts in the habitat associations of young-of-the-year winter flounder (*Pseudopleuronectes americanus*): field observations and laboratory

- experiments with sediments and prey. *Journal of Experimental Marine Biology and Ecology* 257:297-315.
- Pierce, D.E., and A.B. Howe. 1977. A further study on winter flounder group identification off Massachusetts. *Transactions of American Fishery Society* 106(2):131-139.
- Pierce, R.W., and J.T. Turner. 1992. Ecology of planktonic ciliates in marine food webs: a review. *Review of the Aquatic Sciences* 6:139-181.
- Pilson, M.E.Q. 1985a. Annual cycles of nutrients and chlorophyll in Narragansett Bay, Rhode Island. *Journal of Marine Research* 43:849-873.
- Pilson, M.E.Q. 1985b. On the residence time of water in Narragansett Bay. *Estuaries* 8: 2-14.
- Pilson, M.E.Q. 1991. Aspects of climate around Narragansett Bay. Graduate School of Oceanography University of Rhode Island, Narragansett, Rhode Island. NBP-91-64.
- Pilson, M.E.Q., and C.D. Hunt. 1989. Water quality survey of Narragansett Bay. A summary of results from the SINBADD 1985-1986. Current Report, The Narragansett Bay Project, U.S. Environmental Protection Agency/Rhode Island Department of Environmental Management. 118 pp.
- Polgar, T.T., J.K. Summers, R.A. Cummins, K.A. Rose, and D.G. Heimbauch. 1985. Investigation of relationships among pollutant loadings and fish stock levels in northeastern Estuaries. *Estuaries* 8: 125-135.

- Powell, J.C. 1989. Winter flounder tagging study, 1986-1988 with comments on movements. Rhode Island Division of Fish and Wildlife Res. Ref. Doc. 89/3.
- Powell, J.C. 2000. Assessment of recreationally important finfish stocks in Rhode Island waters. Narragansett Bay Juvenile Finfish Survey.(1st Jan 2000-31 Dec 2000).
- Powell, J.C. 2001. Assessment of recreationally important finfish stocks in Rhode Island waters. Narragansett Bay Juvenile Finfish Survey.(1st Jan 2001-31 Dec 2001).
- Pratt, D.M. 1959. The phytoplankton of Narragansett Bay. *Limnology and Oceanography* 4(4):425-440.
- Pratt, D.M. 1965. The winter-spring diatom flowering in Narragansett Bay. *Limnology and Oceanography* 10:173-184.
- Pratt, D.M. 1966. Competition between *Skeletonema costatum* and *Olisthodiscus luteus* in Narragansett Bay and in culture. *Limnology and Oceanography* 11:447-455.
- Pratt, D.M., and D.A. Campbell. 1956. Environmental factors affecting growth in *Venus mercenaria*. *Limnology and Oceanography* 1:2-17.
- Pratt, S.D. 1988. Status of the hard clam fishery in Narragansett Bay. Narragansett Bay Project Final Report. Report No. NBP-88-07. 89 pp.
- Pratt, S.D., B.K. Martin, and S.B. Saila. 1987. Status of the hard clam (*Mercenaria mercenaria*) in the Providence River and Mount Hope Bay.

Narragansett Bay Project, Rhode Island Dept. of Environmental Management, Providence, Rhode Island.

Pratt, S.D., B.K. Martin, S.B. Saila. 1988. Status of the hard clam (*Mercenaria mercenaria*) in the Providence River and Mount Hope Bay. Narragansett Bay Project Report. Report No. NBP-88-08. 75 pp.

Pruell, R.J., C.B. Norwood, R.D. Bowen, R.E. Palmquist, and S.J. Fluck. 1988. Organic contaminants in quahogs, *Mercenaria mercenaria*, collected from Narragansett Bay. Narragansett Bay Project, Final Report. 44 pp.

Rahn, K.A. 1990. Will emissions from new power plants in Rhode Island affect Narragansett Bay? *Maritimes* 34(4):1-5.

Raithby, G.D., R.V. Elliott, and B.R. Hutchinson. 1988. Predictions of three-dimensional thermal discharge flows. *Journal of Hydraulic Engineering* 114(7): 720-737.

Raposa, K.B., and C.A. Oviatt. 2000. The influence of contiguous shoreline type, distance from shore, and vegetation biomass on nekton community structure in eelgrass beds. *Estuaries* 23(1):46-55.

Rhode Island University. 1983. A 9,000 year view of Narragansett Bay. *Maritimes* 27(1):7-9.

Rhoads, D.C., and J.D. Germano. 1982. Characterization of organism-sediment relations using sediment profile imaging: An efficient method of remote ecological monitoring of the seafloor (Remote super(TM) System). *Marine Ecology Progress Series* 8(2):115-128.

- Rhodes, D.C., and J.D. Germano. 1986. Interpreting long-term changes in benthic community structure: a new protocol. *Hydrobiologia* 142:291-308.
- Rice, M.A. 1994. Suspension feeding and uptake of DFAA by northern quahogs *Mercenaria mercenaria*: magnitude of organic nitrogen assimilation by the Narragansett Bay population. National Shellfisheries Association, Annual Meeting, April 24-25, 1994, Charleston, South Carolina. *Journal of Shellfish Research* 13(1):305.
- Rice, M.A., M. Grady, M.L. Schwartz. (eds.) 1990. Proceedings of the first Rhode Island shellfisheries conference. Held at the University of Rhode Island Bay Campus, Narragansett, Rhode Island. August 27, 1990. Contribution #2646 of the college of Resource Development, The University of Rhode Island, with support from Rhode Island Sea Grant Advisory Services and Rhode Island Cooperative Extension project SL-402. 105 pp.
- Rice, M.A., C. Hickox, and I. Zehra. 1989. Effects of intensive fishing effort on the population structure of quahogs, *Mercenaria mercenaria* (Linnaeus 1758), in Narragansett Bay. *Journal of Shellfish Research* 8(2):345-354.
- Rice, M.A., A. Valliere, and A. Caporelli. 2000a. A review of shellfish restoration and management projects in Rhode Island. *Journal of Shellfish Research* 19(1):401-408.
- Rice, M.A., A. Valliere, M. Gibson and A. Ganz. 1999. Eutrophication control by bivalves: population filtration, sedimentation and nutrient removal through

secondary production. National Shellfisheries Association, Annual Meeting, April 18-22, 1999, Halifax, Nova Scotia, Canada. *Journal of Shellfish Research* 18(1):333.

Rice, M.A., A. Valliere, M. Gibson, and A. Ganz. 2000b. Ecological significance of the Providence River quahogs: population filtration. *Journal of Shellfish Research* 19(1):580.

RIDEM (Rhode Island Department of Environmental Management). 1983. Narragansett Bay National Estuarine Sanctuary management plan. Office of Planning and Development, Providence, Rhode Island. U.S. Office of Ocean and Coastal Resource Management, Sanctuary Programs Division, Washington, D.C. 93 pp.

RIDEM (Rhode Island Department of Environmental Management). 2001. Narragansett Bay Estuary Program & Narragansett Bay Estuarine Research Reserve. Narragansett Bay Water Quality: Status & Trends 2000. <http://www.nbep.org/summit/wpapers.html>

Ries, K.G. 1990. Estimating surface-water runoff to Narragansett Bay, Rhode Island and Massachusetts. U.S. Geological Survey Water Resources Investigations Report 89-4164, Providence, Rhode Island.

Rines, H.M. 1999. Mapping temperature distributions in Mt. Hope Bay – Fall 1998 deployment. Supplement C, 1998 Annual Report. Applied Sciences Associates, Inc. ASA Project 96-076.

- Rines, H.M., and H. Schuttenburg. 1998. Data report: New England Power Company, Brayton Point Station, Mount Hope Bay field studies for 1997. Applied Sciences Associates, Inc. ASA Project 96-076.
- Rippey, S.R., and W.D. Watkins. 1987. Mount Hope Bay sanitary survey-microbiological 1986-87, final report. Narragansett Bay Project Final Report, NBP-88-11. 97 pp.
- Robichaud-Leblanc, K.A., S.C. Courtenay, and J.M. Hanson. 1997. Ontogenetic diet shifts in age-0 striped bass, *Morone saxatilis*, from the Miramichi River estuary, Gulf of St. Lawrence. Canadian Journal of Zoology 75(8):1300-1309.
- Rodi, W. 1980. Turbulence Models and their Application in Hydraulics. International Association for Hydraulic Research, Delft, The Netherlands.
- Rogers, C.A. 1976. Effects of temperature and salinity on the survival of winter flounder embryos. Fishery Bulletin 74(1):52-58.
- Rose, K.A., J.A. Tyler, R.C. Chamber, G. Klein-MacPhee, and D.J. Danila. 1996. Simulating winter flounder population dynamics using coupled individual-based young-of-the-year and age structures adult models. Canadian Journal of Fisheries and Aquatic Sciences 53:1071-1091.
- Rountree, R.A. 1992. Fish and macroinvertebrate community structure and habitat use patterns in salt marsh creeks of southern New Jersey, with a discussion of marsh carbon export. Ph.D. Dissertation, Rutgers, The State University of New Jersey. New Brunswick. U.M.I. #DAI-9232951. 292 p.

- Rountree, R.A., and K.W. Able. 1992a. Fauna of polyhaline subtidal marsh creeks in southern New Jersey: composition, abundance and biomass. *Estuaries* 15(2):171-185.
- Rountree, R.A., and K.W. Able. 1992b. Foraging habits, growth, and temporal patterns of salt marsh creek habitat use by juvenile summer flounder in New Jersey. *Transactions of the American Fisheries Society* 121(6):765-776.
- Rountree, R.A., and K.W. Able. 1993. Diel variation in decapod crustacean and fish assemblages in New Jersey marsh creeks. *Estuarine, Coastal and Shelf Science* 37:181-201.
- Rountree, R.A., and K.W. Able. 1996. Seasonal abundance, growth and foraging habits of juvenile smooth dogfish, *Mustelus canis*, in a New Jersey estuary. *Fishery Bulletin* 94(3):522-534.
- Rountree, R.A., and K.W. Able. 1997. Nocturnal fish use of New Jersey marsh creek and adjacent bay habitats. *Estuarine, Coastal and Shelf Science* 44:703-711.
- Rudnick, D.T., R. Elmgren, and J.B. Frithsen. 1985. Meiofaunal prominence and benthic seasonality in a coastal marine ecosystem. *Oecologia* 67:157-168.
- Ruiz, G.M., A.H. Hines and M.H. Posey. 1993. Shallow water as a refuge habitat for fish and crustaceans in non-vegetated estuaries: an example from Chesapeake Bay. *Marine Ecology Progress Series* 99(1-2):1-16.
- Saila, S.B. 1959. Fishery resources related to hurricane protection. Appendix H, in: Hurricane damage control, Narragansett Bay and vicinity, Rhode

- Island and Massachusetts: detailed report on fishery resources.
Preliminary draft. U.S. Fish and Wildlife Service. 60 pp.
- Saila, S.B. 1961 A study of winter flounder movements. *Limnology and Oceanography* 6(3):292-298.
- Saila, S.B. 1962. Proposed hurricane barriers related to winter flounder movements in Narragansett Bay. *Transactions of the American Fisheries Society* 91:189-195.
- Saila, S.B., E. Lorda, J.D. Miller, R.A. Sher and W.H. Howell. 1997. Equivalent adult estimates for losses of fish eggs, larvae, and juveniles at Seabrook station with use of fuzzy logic to represent parametric uncertainty. *North American Journal of Fisheries Management* 17(4):811-825.
- Sandifer, P.A. 1973. Distribution and abundance of decapod crustacean larvae in the York River estuary and adjacent lower Chesapeake Bay, Virginia, 1968-1969. *Chesapeake Science* 14(4):235-257.
- Sanford, E., D. Bermudez, M.D. Bertness, and B.D. Gaines. 1994. Flow, food supply and acorn barnacle population dynamics. *Marine Ecology Progress Series* 104:49-62.
- Sarda, R., K. Foreman, and I. Valiela. 1995. Macroinfauna of a southern New England salt marsh: seasonal dynamics and production. *Marine Biology* 121:431-445.
- Saucerman, S.E, and L.A. Deegan. 1991. Lateral and cross-channel movement of young-of-the-year winter flounder (*Pseudopleuronectes americanus*) in Waquoit Bay, Massachusetts. *Estuaries* 14(4):440-446.

- Save the Bay. 1997. The Good..., The Bad..., The Ugly: A Special Report 1996-1997 Narragansett Bay Watershed Wastewater Treatment Plants Performance Survey. Save the Bay, Providence, Rhode Island. 49 pp.
- Scavia, D., J.C. Field, D.F. Boesch, R.W. Buddemeier, V. Burkett, D.R. Cayan, M. Fogarty, M.A. Harwell, R.W. Howarth, C. Mason, D.J. Reed, T.C. Rover, A.H. Sallenger and J.G. Titus. 2002. Climate change impacts on U.S. coastal and marine ecosystems. *Estuaries* 25(2):149-164.
- Schneider, K., and W. Mauser. 1996. Processing and accuracy of LandSat thematic mapper data for lake surface temperature measurement. *International Journal of Remote Sensing* 17:2027-2041.
- Scott, K.J., M.S. Redmond, K.M. McKenna, and D. Robson. 1992. Evaluation of the relative acute toxicity of nearshore sediments in Narragansett Bay. Current Report of the Narragansett Bay Project. Report #NBP-92-83. 26 pp.
- Seavey, G.L., and S.D. Pratt. 1979. The disposal of dredged material in Rhode Island: an evaluation of past practices and future options. University of Rhode Island Marine Technical Report 72. 96 pp.
- Seitzinger, S.P, S.W. Nixon, and M.E.Q. Pilson. 1984. Denitrification and nitrous oxide production in a coastal marine ecosystem. *Limnology and Oceanography* 29(1):73-83.
- Sen, A. 1996. Characterization of water temperature in Mount Hope Bay in the influence of thermal discharge from the Brayton Point Power Plant. Sc. B. Thesis. Center for Environmental Studies, Brown University.

- Sen, A. 1997. A satellite-based assessment of a power plant's impact on an estuary. M.A. Thesis. Center for Environmental Studies, Brown University.
- Shaheen, P.A., L.L. Stehlik, C.J. Meise, A.W. Stoner, J.P. Manderson, and D.L. Admas. 2001. Feeding behavior of newly settled winter flounder (*Pseudopleuronectes americanus*) on calanoid copepods. *Journal of Experimental Marine Biology and Ecology* 257:37-51.
- Short, F., D. Burdick, S. Granger and S. Nixon. 1996. Long-term decline in eelgrass, *Zostera marina* L., linked to increased housing development. Pages 291-298 in Kuo, J., R. Phillips, D. Walker, and H. Kirkman, editors. *Proceedings of an International Workshop, Rottneest Island, W. Australia*. Jan. 25-29, 1996.
- Sieburth, J., McN. 1967. Seasonal selection of estuarine bacteria by water temperature. *Journal of Experimental Marine Biology and Ecology* 1:98-121.
- Sieburth, J., McN., P.W. Johnson, and P.E. Hargraves. 1988. Ultrastructure and ecology of *Aureococcus anophagefferens* gen. et sp. nov. (Chrysophyceae): the dominant picoplankter during a bloom in Narragansett Bay, Rhode Island, summer 1985. *Journal of Phycology* 24:416-425.
- Sinclair, A.F., and S.A. Murawski. 1997. Why have groundfish stocks declined? Northwest Atlantic Groundfish: Perspectives on a Fishery Collapse. Pages 71-94 in Boreman, J., B.S. Nakashima, J.A. Wilson and R.L. Kendall,

- editors. Northwest Atlantic Groundfish: Perspectives on a Fishery Collaspe. American Fisheries Society, Bethesda, Maryland.
- Sindermann, C.J. 1983. Parasites as natural tags for marine fish: a review. NAFO Scientific Council Studies 6:63-71.
- Skehan, J.W., and R. Nicholas. 1990. Pre Mesozoic evolution of *Avalon terranes* of southern New England. Pages 13-53 in *Geology of the Composite Avalon terrane of Southern New England*. Special Paper of the Geological Society of America 245.
- Smayda, T.J. 1957. Phytoplankton studies in lower Narragansett Bay. *Limnology and Oceanography* 2:342-354.
- Smayda, T.J. 1973. A survey of phytoplankton dynamics in the coastal waters from Cape Hatteras to Nantucket. Pages 3-100 in S.B. Saila, editor. Coastal and Offshore Environmental Inventory. Cape Hatteras to Nantucket Shoals. Mar. Publ. Ser. No. 2. University of Rhode Island.
- Smayda, T.J. 1983. The phytoplankton of estuaries. Pages 65-102 in B. H. Ketchum, editor. *Estuaries and Enclosed Seas*. Elsevier, Amsterdam.
- Smayda, T.J. 1984. Variations and long-term changes in Narragansett Bay: a phytoplankton-based coastal marine ecosystem: relevance to field monitoring for pollution assessment. Pages 663-679 in H.H. White, editor. *Concepts in Marine Pollution Measurements*. University of Maryland Sea Grant Publication, College Park, Maryland.
- Smayda, T.J. 1985. Narragansett Bay: variability and change in environment and phytoplankton dynamics over a 23-year period. *Estuaries* 8(2B): 86A.

- Smayda, T.J. 1998. Patterns of variability characterizing marine phytoplankton, with examples from Narragansett Bay. *ICES Journal of Marine Science* 55:562-573.
- Smayda, T.J., and P. Fofonoff. 1989. An extraordinary, noxious brown-tide in Narragansett Bay. II. Inimical effects. Pages 133-136 *in* T. Okaichi, D. Anderson and T. Nemoto, editors. *Red tides: biology, Environmental Science, and Toxicology*. Elsevier, Amsterdam.
- Smayda, T.J., and T.A. Villareal. 1989a. An extraordinary, noxious brown-tide in Narragansett Bay. I. The organism and its dynamics. Pages 129-132 *in* T. Okaichi, D. Anderson and T. Nemoto, editors. *Red tides: biology, Environmental Science, and Toxicology*. Elsevier, Amsterdam.
- Smayda, T.J., and T.A. Villareal. 1989b. The 1985 "brown-tide" and the open phytoplankton niche in Narragansett Bay during summer. Pages 159-188 *in* E.M. Coper, V.M. Bricelj, and E.J. Carpenter, editors. *Novel phytoplankton blooms: Causes and impacts of recurrent brown tide and other unusual blooms*. Springer-Verlag, New York.
- Smith, W. 1978. Environmental survey design: a time series approach. *Estuarine, Coastal Marine Science* 6:217-224.
- Sogard, S.M. 1991. Interpretation of otolith microstructure in juvenile winter flounder (*Pseudopleuronectes americanus*): Ontogenetic development, daily increment validation, and somatic growth relationships. *Canadian Journal of Fisheries and Aquatic Sciences* 48(10):1862-1871.

- Sogard, S.M. 1992. Variability in growth rates of juvenile fishes in different estuarine habitats. *Marine Ecology Progress Series* 85: 35-53.
- Sogard, S.M. 1997. Size-selective mortality in the juvenile stage of teleost fishes: A review. *Bulletin of Marine Science* 60(3):1129-1157.
- Sogard, S.M., and K.W. Able. 1991. A comparison of eelgrass, sea lettuce macroalgae, and marsh creeks as habitats for epibenthic fishes and decapods. *Estuarine, Coastal and Shelf Science* 33(5):501-519.
- Sogard, S.M., K.W. Able, and M.P. Fahay. 1992. Early life history of the *Tautog onitis* in the Mid-Atlantic Bight. *Fishery Bulletin* 90(3):529-539.
- Sogard, S.M., and B.L. Olla. 1977. The Influence of hunger and predation risk on group cohesion in a pelagic fish, walleye pollock *Theragra chalcogramma*. *Environmental Biology of Fishes* 50(4):405-413.
- Sogard, S.M., and B.L. Olla. 1996. Food deprivation affects vertical distribution and activity of a marine fish in a thermal gradient: potential energy-conserving mechanisms. *Marine Ecology Progress Series* 133(1-3):43-55.
- Sogard, S.M., and B.L. Olla. 1998. Behaviour of juvenile sablefish, *Anoplopoma fimbria* (Pallas) in a thermal gradient: balancing food and temperature requirements. *Journal of Experimental Marine Biology and Ecology* 222(1-2):43-58.
- Sparsis, M., J.T. Dealteris, and M.A. Rice. 1993. Effects of bottom cultivation on quahogs and other bottom invertebrates in Narragansett Bay. Pages 63-78 in Rice, M.A., and D. Grossman-Garber, editors. *Proceedings of the second Rhode Island shellfish industry conference, Narragansett, Rhode*

- Island, August 4, 1992. Sea Grant Report, Rhode Island Sea Grant, Narragansett, Rhode Island.
- Spaulding, M. 1987. Circulation dynamics. Pages 71-146 *in*: Narragansett Bay: issues, resources, status and management. NOAA Estuarine Programs Office, NOAA, Washington, D.C. (NOAA Estuary-of-the-month Seminar Series No. 1).
- Spaulding, M.L. 1984. A vertically averaged circulation model using boundary fitted coordinates. *Journal of Physical Oceanography* 14(5):973-982.
- Spaulding, M.L., W. Huang and D. Mendelsohn. 1990. Application of a boundary fitted coordinate hydrodynamic model. Pages 27-39 *in* Estuarine and coastal modeling. Proceedings of the Conference, American Society of Civil Engineers.
- Spaulding, M.L., and S.J. Liang. 1989. Boundary fitted estuarine water quality model. Pages 430-441 *in* Estuarine and coastal modeling. Proceedings of the International Conference, American Society of Civil Engineers.
- Spaulding, M.L., D.L. Mendelsohn and J.C. Swanson. 1999a. WQMAP: An integrated three-dimensional hydrodynamic and water quality model system for estuarine and coastal applications. *Marine Technology Society Journal* 33(3):38-54.
- Spaulding, M.L., and C. Swanson. 1984. Tides and tidal currents of Narragansett Bay. University of Rhode Island, Marine Technical Report Number 35, Narragansett, Rhode Island.

- Spaulding, M.L., C. Swanson and D. Mendelsohn. 1999b. Application of quantitative model-data calibration measures to assess model performance. *in* Proceedings of the 6th International Conference on Estuarine and Coastal Modeling (ECM6), November 3-5, 1999, New Orleans, LA.
- Spaulding, M.L., and F.M. White. 1990. Circulation dynamics in Mt. Hope Bay and the lower Taunton River [Rhode Island, USA]. Pages 494-510 *in* R.T. Cheng, editor. Residual Currents and Long-Term Transport. Coastal and Estuarine Studies Vol. 38. Springer-Verlag.
- Spaulding, M.L., F.M. White, P. Heinmiller, M.M. Simoneau, S.J. Liang, and J.K. Choi. 1988. Circulation dynamics in Mt. Hope Bay and the lower Taunton River. Narragansett Bay Project Report #NBP-88-12. 126 pp.
- Squires, E.J., D.E. Hall, and A.W. Feltham. 1979. Seasonal changes in plasma amino acid levels in the winter flounder (*Pseudopleuronectes americanus*). Canadian Journal of Zoology 57:1438-1442.
- Squires, H.J., G.P. Ennis, and G. Dawe. 1997. Decapod larvae from a nearshore area of northeastern Newfoundland (Crustacea, Decapod). NAFO Scientific Council Studies 30:75-87.
- Stehlik L.L., and C.J. Meise. 2000. Diet of winter flounder in a New Jersey estuary: ontogenetic change and spatial variation. Estuaries 23:381-391.
- Steimle, F.W., D. Jeffress, S.A. Fromm, R.N. Reid, J.J. Vitaliano, and A. Frame. 1994. Predator-prey relationships of winter flounder, *Pleuronectes americanus*, in the New York Bight apex. Fishery Bulletin 92(3):608-619.

- Stein, M. 1971. Proceedings of the conference in the matter of pollution of the interstate waters of Mount Hope Bay and its tributaries in the states of Massachusetts and Rhode Island. U.S. Environmental Protection Agency, Region I, Boston, MA. 403 pp.
- Stoner, A.W., A.J. Bejda, J.P. Manderson, B.A. Phelan, L.L. Stehlik, and J.P. Pessutti. 1999. Behavior of winter flounder, *Pseudopleuronectes americanus*, during the reproductive season: Laboratory and field observations on spawning, feeding and locomotion. Fishery Bulletin 97:999-1016.
- Stoner, A.W., J.P. Manderson, and J.P. Pessutti. 2001. Spatially explicit analysis of estuarine habitat for juvenile winter flounder: Combining generalized additive models and geographic information systems. Marine Ecology Progress Series 213:253-271.
- Stringer, L.D. 1959. The population abundance and effect of sediment on the hard clam. Appendix E. *in* Hurricane damage control, Narragansett Bay and vicinity, Rhode Island and Massachusetts: detailed report on fishery resources, U.S. Fish and Wildlife Service. 17 pp.
- Sullivan, B.K., and L.T. McManus. 1986. Factors controlling seasonal succession of the copepods *Acartia hudsonica* and *A. tonsa* in Narragansett Bay, Rhode Island: temperature and resting egg production. Marine Ecology Progress Series 28:121-128.
- Summers, J.K. 1989. Simulating the indirect effects of power plant entrainment losses on an estuarine ecosystem. Ecological Modelling 49:31-47.

- Summers, J.K., T.T. Polgar, J.A. Tarr, K.A. Rose, D.G. Heimbunch, J. McCurley, R.A. Cummins, G.F. Johnson, K.T. Yetman, and G.T. DiNardo. 1985. Reconstruction of long-term time series for commercial fisheries abundance and estuarine pollution loadings. *Estuaries* 8(2A):114-124.
- Summers, J.K., K.A. Rose, and T.T. Polgar. 1985. Historical time series analysis of hydrographic and anthropogenic influences on northeastern commercial fish stocks. *Estuaries* 8(2B):87A.
- Swales, A., R.B. Williamson, L.F. Van Dam, M.J. Stroud, and M.S. McGlone. 2002. Reconstruction of urban stormwater contamination of an estuary using catchment history and sediment profile dating. *Estuaries* 25(1):43-56.
- Swanson, J.C., and K. Jayko. 1987. Preliminary results from a simplified numerical model of Narragansett Bay, Rhode Island. *Oceans '87 Proceedings: The Ocean - an International Workplace* Vol. 3:843-846.
- Swanson, J.C., and D. Mendelsohn. 1993. Application of WQMAP to upper Narragansett Bay, Rhode Island. In: *Proceedings of the 3rd International Conference on Estuarine and Coastal Modeling*. Oak Brook, IL. September 8-10, 1993.
- Swanson, J.C., D. Mendelsohn, H. Rines, and H. Schuttenberg. 1998. Mt. Hope Bay hydrodynamic model calibration and confirmation. Report to New England Power Company, Westborough, MA. Applied Sciences Associates, Inc., Narragansett, Rhode Island.

- Swanson, J.C., H. Rines, D. Mendelsohn, T. Isaji, and M. Ward. 1999. Mt. Hope Bay winter 1999 field data and model confirmation. Applied Science Associates, Inc. ASA Project 96-076.
- Swanson, J.C., M. Spaulding, J.P. Mathisenk, and O.O. Jenssen. 1989. A three-dimensional boundary fitted coordinate hydrodynamic model. Part I: Development and testing. Dt. Hydrogr. Z. 42:169-186.
- Sweatt, A.J. 1980. Chaetognaths in lower Narragansett Bay. Estuaries 3(2):106-110.
- Targett, T.E., and J.D. McCleave. 1974. Summer abundance of fishes in a Maine tidal cove with special reference to temperature. Transactions of the American Fisheries Society 103(2):325-330.
- Tatham, T.R., D.L. Thomas and D.J. Danila. 1984. Fishes of Barnegat Bay. Pages 241-280 in M.J. Kennish and R.A. Lutz, editors. Lecture notes on coastal and estuarine studies. 6. Ecology of Barnegat Bay, New Jersey. Springer-Verlag, New York.
- Thayer, G.W., D.E. Hoss, M.A. Kjelson, W.F. Hettler, Jr., and M.W. Lacroix. 1974. Biomass of zooplankton in the Newport River estuary and the influence of postlarval fishes. Chesapeake Science 15(1):9-16.
- Thomann, R.V., and J.A. Mueller, 1988. Principles of Surface Water Quality Modeling and Control. Harper and Rowe, New York, 644 pp.
- Thornton-Whitehouse, S. 1994. The abundance and distribution of *Crangon septemspinosa* in Narragansett Bay. Ph.D. Dissertation, Univeristy of Rhode Island, Kingston, Rhode Island.

- Thorrold, S.R., C. Latkoczy, P.K. Swart, and C.M. Jones. 2001. Natal homing in a marine fish metapopulation. *Science* 291:297-299.
- Tomas, C.R. 1980. *Olisthodiscus luteus* (Chrysophyceae). V. Its occurrence, abundance and dynamics in Narragansett Bay, Rhode Island. *Journal of Phycology* 16(2):157-166.
- Toner, R.C. 1981. Interrelationships between biological, chemical, and physical variables in Mount Hope Bay, Massachusetts. *Estuarine, Coastal and Shelf Science* 12:701-712.
- Tracey, G.A. 1988. Feeding reduction, reproductive failure, and mortality in *Mytilus edulis* during the 1985 "brown tide" in Narragansett Bay, Rhode Island. *Marine Ecology Progress Series* 50:73-81.
- Turner, A.C., S. Asselin, and S. Feng. 1990. City of Fall River combined sewer overflow facilities: receiving water impacts field measurement program. Rep. No. 90-24, Applied Science Associates, Inc., Narragansett, Rhode Island.
- Turner, J.T. 1984. The feeding ecology of some zooplankters that are important prey items of larval fish. NOAA Technical Report NMFS 7:1-28.
- Turner, J.T., R.R. Hopcroft, J.A. Huestis, P.A. Tester, and J.C. Roff. 1998. Zooplankton feeding ecology: grazing by marine copepods and cladocerans upon phytoplankton and cyanobacteria from Kingston Harbour, Jamaica. *Marine Ecology* 19:195-208.

- Turner, J.T., and P.A. Tester. 1997. Toxic marine phytoplankton, zooplankton grazers, and pelagic food webs. *Limnology and Oceanography* 42:1203-1214.
- Turner, J.T., P.A. Tester, and W.F. Hettler. 1985. Zooplankton feeding ecology: a laboratory study of predation on fish eggs and larvae by the copepods *Anomalocera ornata* and *Centropages typicus*. *Marine Biology* 90:1-8.
- Tyler, A.V. 1971a. Surges of winter flounder, *Pseudopleuronectes americanus*, into the intertidal zone. *Journal of the Fisheries Research Board of Canada* 28:1727-1732.
- Tyler, A.V. 1971b. Food resource division among northern marine, demersal fishes. *Journal of the Fisheries Research Board of Canada* 29:997-1003.
- U.S. Department of Health, Education and Welfare, Public Health Service, Regions I and II. U.S. Army, Corps of Engineers, New England Division. 1960. Effects of proposed hurricane barriers on water quality of Narragansett Bay. Final Report (Pell# TC224 R4 U56).
- USEPA (U.S. Environmental Protection Agency). 1970. Data summary, Mount Hope Bay study, August 3-7, 1970. Appendix C. Pages 192-197 in *Proceedings of the Conference in the Matter of Pollution of the Interstate Waters of Mount Hope Bay and its Tributaries in the States of Massachusetts and Rhode Island*. U.S. Conference Paper EPA, Region 1, Boston.
- USGen (USGen New England, Inc.). 2001. Variance request application and partial demonstration under the Clean Water Act, section 316(a) and (b) in

support of renewal of NPDES permit No. MA0003654 for USGen New England, Inc.'s Brayton Point Station, May 24.

Valente, R.M., D.C. Rhoads, J.D. Germano, and V.J. Cabelli. 1992. Mapping of benthic enrichment patterns in Narragansett Bay, Rhode Island. *Estuaries* 15(1):1-17.

Valiela, I., K. Foreman, M. LaMontagne, D. Hersh, J. Costa, P. Peckol, B. DeMeo-Andreson, C. D'Avanzo, M. Babione, C.H. Sham, J. Brawley, and K. Lajtha. 1992. Couplings of watersheds and coastal waters: sources and consequences of nutrient enrichment in Waquoit Bay, Massachusetts. *Estuaries* 15:443-457.

Vandal, G.M., and W.F. Fitzgerald. 1988. Mercury in the waters of Narragansett Bay. Current Reports of the Narragansett Bay Project. Project #NBP-88-12A. 32 pp.

Van der Veer, H.W., and M.J.N. Bergman. 1986. Development of tidally related behavior of a newly settled 0-group plaice (*Pleuronectes platessa*) population in the western Wadden Sea. *Marine Ecology Progress Series* 31:121-129.

Van der Veer, H.W., and M.J.N. Bergman. 1987. Predation by crustaceans on a newly settled 0-group plaice *Pleuronectes platessa* population in the western Wadden Sea. *Marine Ecology Progress Series* 35:203-215.

Van Vleet, E.S., and J.G. Quinn. 1978. Contribution of Chronic Petroleum Inputs to Narragansett Bay and RI sound Sediments. *Journal of the Fisheries Research Board of Canada* 35:536-543.

- Verity, P.G. 1984. The physiology and ecology of tintinnids in Narragansett Bay, Rhode Island. Ph.D. Dissertation, University of Rhode Island, Kingston, Rhode Island.
- Verity, P.G. 1985. Grazing, respiration, excretion and growth rates of tintinnids. *Limnology and Oceanography* 30(6):1268-1282.
- Verity, P.G. 1986a. Grazing of phototrophic nanoplankton by microzooplankton in Narragansett Bay. *Marine Ecology Progress Series* 29:105-115.
- Verity, P.G. 1986b. Growth rates of natural tintinnid populations in Narragansett Bay. *Marine Ecology Progress Series* 29:117-126.
- Verity, P.G. 1987. Abundance, community composition, size distribution, and production rates of tintinnids in Narragansett Bay, Rhode Island. *Estuarine, Coastal and Shelf Science* 24:671-690.
- Villalard-Bohnsack, M., and M.M. Harlin. 1992. Seasonal distribution and reproductive status of macroalgae in Narragansett Bay and associated waters, Rhode Island, USA. *Botanica Marina* 35:205-214.
- Viscido, S.V., D.E. Stearns, and K.W. Able. 1997. Seasonal and spatial patterns of an epibenthic decapod crustacean assemblage in northwest Atlantic continental shelf waters. *Estuarine, Coastal and Shelf Science* 45(3):377-392.
- Vitaliano, J.J., and V.S. Zdanowicz. 1992. Trace metals in eggs of winter flounder from Boston Harbor, a contaminated North American Estuary. *Marine Pollution Bulletin* 24(7):364-367.

- Voyer, R.A., C.E. Wentworth, Jr., E.P. Barry, and R.J. Hennekey. 1977. Viability of embryos of the winter flounder *Pseudopleuronectes americanus* exposed to combinations of cadmium and salinity at selected temperatures. *Marine Biology* 44:117-124.
- Wandle, S., and M.H. Frumpier. 1982. Drainage divides, Massachusetts-Taunton River basin and southeast coastal basins. U.S.G.S. Open-File Report, 82-870.
- Wandle, S.W., and G.R. Keezer. 1984. Gazetteer of hydrologic characteristics of streams in Massachusetts-Taunton and Ten Mile River basins and coastal river basins of Mount Hope Bay, Narragansett Bay, and Rhode Island Sound. U.S. Geological Survey. Water-Resources Investigations Report 84-4283. 39 pp.
- Wang, H.P. 1976. Multi-leveled finite element hydrodynamic model of Block Island sound. Ph. D. Dissertation, University of Rhode Island, Kingston, Rhode Island.
- Wang, J.S., T.C. Lee, R.E. Wolke, and S.B. Saila. 1996. PCB and heavy metal residues in livers and muscles of winter flounder (*Pseudopleuronectes americanus*) from Rhode Island Waters. *Toxicology and Environmental Chemistry* 55:19-30.
- Warlen, S.M. 1993. Spawning time and recruitment dynamics of larval Atlantic menhaden, *Brevoortia tyrannus*, into a North Carolina estuary. *Fisheries Bulletin* 92:420-433.

- Warlen, S.M., and J.S. Burke. 1990. Immigration of larvae of fall/winter spawning marine fishes into a North Carolina estuary. *Estuaries* 13(4):453-461.
- Watkins, W.D. 1979. Studies on the pathogenic marine bacteria *Vibrio parahaemolyticus* and *Vibrio anguillarum*. MS Thesis, Department of Microbiology, University of Rhode Island. 148 pp.
- Watkins, W.D., and V.J. Cabelli. 1985. Effect of fecal pollution on *Vibrio parahaemolyticus* densities in an estuarine environment. *Applied and Environmental Microbiology* 49:1307-1313.
- Wehrtmann, I.S. 1991. How important are starvation periods in early larval development for survival of *Crangon septemspinosa* larvae. *Marine Ecology Progress Series* 73(2-3):183-190.
- Wehrtmann, I.S. 1994. Larval production of the caridean shrimp, *Crangon septemspinosa*, in waters adjacent to Chesapeake Bay in relation to oceanographic conditions. *Estuaries* 17(2):509-518.
- Weinstein, M.P., and D.A. Kreeger. 2000. Concepts and controversies in tidal marsh ecology. Kluwer Academic Publishers, Boston. 875 pp.
- Weisberg, R.H. 1972. The net circulation in the west passage of Narragansett Bay. MS. Thesis, University of Rhode Island, Kingston, Rhode Island.
- Weisberg, R.H. 1974. The non-tidal flow in the Providence River of Narragansett Bay: a stochastic approach to estuarine circulation. Ph.D. Dissertation, University of Rhode Island.

- Weisberg, R.H. 1976. The nontidal flow in the Providence River of Narragansett Bay: a stochastic approach to estuarine circulation. *Journal of Physical Oceanography* 6:721-734.
- Wells, B., D.H. Steele, and A.V. Tyler. 1973. Intertidal feeding of winter flounders (*Pseudopleuronectes americanus*) in the Bay of Fundy. *Journal of the Fisheries Research Board of Canada* 30:1374-1378.
- Whittaker, R.H. 1975. *Communities and ecosystems*. Second Edition. MacMillan Publishing Co. New York, N.Y. p. 384.
- Widbom, B., and C.A. Oviatt. 1994. The 'World Prodigy oil spill in Narragansett Bay, Rhode Island: acute effects on macrobenthic crustacean populations. *Hydrobiologia* 291:115-124.
- Wigley, R.L., and R.B. Theroux. 1981. Atlantic continental shelf and slope of the United States- macrobenthic invertebrate fauna of the Middle Atlantic Bight region-faunal composition and quantitative distribution. *Geological Survey Professional Paper* 529-N. 201 pp.
- Wilcox, J.R., and H.P. Jeffries. 1973. Growth of the sand shrimp, *Crangon septemspinosa*, in Rhode Island. *Chesapeake Science* 14(3):201-205.
- Wilcox, J.R., and H.P. Jeffries. 1974. Feeding habits of the sand shrimp *Crangon septemspinosa*. *Biological Bulletin* 146:424-434
- Wilk, S.J., W.W. Morse, and L.L. Stehlik. 1990. Annual cycles of gonad-somatic indices as indicators of spawning activity for selected species of finfish collected from the New York Bight. *Fishery Bulletin* 88:775-786.

- Williams, G.C. 1975. Viable embryogenesis of the winter flounder *Pseudopleuronectes americanus* from -1.8° to 15° C. *Marine Biology* 33:71-74.
- Witherell, D.B., and J. Brunett. 1993. Growth and maturation of winter flounder, *Pleuronectes americanus*, in Massachusetts. *Fishery Bulletin* 91(4): 816-820.
- Witting, D.A. 1993. Effects of body size on probability of predation for juvenile summer and winter flounder based on laboratory experiments. *Fishery Bulletin* 91:577-581.
- Witting, D.A. 1995. Influence of invertebrate predators on survival and growth of juvenile winter flounder. PhD dissertation. Rutgers University, New Brunswick, NJ.
- Witting, D.A., and K.W. Able. 1995. Predation by sevenspine bay shrimp *Crangon septemspinosa* on winter flounder *Pleuronectes americanus* during settlement: laboratory observations. *Marine Ecology Progress Series* 123:23-31.
- Witting, D.A., K.W. Able, and M.P. Fahay. 1999. Larval fishes of a Middle Atlantic Bight estuary assemblage structure and temporal stability. *Canadian Journal of Fisheries and Aquatic Science* 56:222-230.
- Wood, R.S. 1979. Investigations on the conch fishery in Narragansett Bay, Rhode Island. MS Thesis, Department of Animal Science, University of Rhode Island. 60 pp.

- Woodhead, P.M.J. 1985. Coal waste in the sea. II: Toxicity tests with shrimp and with flounder eggs and larvae. *Environmental Science and Technology* 4:585-596.
- Wyda, J.C., L.A. Deegan, J.E. Hughes, and M.J. Weaver. 2002. The response of fishes to submerged aquatic vegetation complexity in two ecoregions of the Mid-Atlantic Bight: Buzzards Bay and Chesapeake Bay. *Estuaries* 25(1):86-100.
- Xie, L., and D.B. Eggleston. 1999. Computer simulations of wind-induced estuarine circulation patterns and estuary-shelf exchange processes: the potential role of wind forcing on larval transport. *Estuarine, Coastal and Shelf Science* 49:221-234.
- Zillioux, E.J., and J.G. Gonzalez. 1972. Egg dormancy in a neritic calanoid copepod and its implications to overwintering in boreal waters. Pages 217-230 *in* B. Battaglia, editor. *Fifth European Marine Biology Symposium*. Piccin Editore, Padova.